Indiana High School Survey Summary Table - Weighted Data

QN7: Percentage of students who described their general health as fair or poor

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.8	(7.3 - 10.2)	1,514	8.6	(6.4 - 10.8)	786	8.9	(6.8 - 11.0)	728
Age										
	15 or younger	8.1	(5.4 - 10.7)	429	9.7	(5.7 - 13.7)	209	6.5	(3.3 - 9.7)	220
	16 or 17	9.0	(7.1 - 11.0)	825	7.4	(4.9 - 9.8)	440	10.7	(7.4 - 14.1)	385
	18 or older	9.2	(4.6 - 13.8)	260	10.5	(3.5 - 17.6)	137	7.5	(3.0 - 12.1)	123
Grade										
	9th	8.9	(6.0 - 11.8)	408	9.9	(5.7 - 14.2)	211	7.8	(3.9 - 11.8)	197
	10th	9.4	(6.7 - 12.1)	376	10.1	(6.6 - 13.6)	194	8.7	(4.8 - 12.6)	182
	11th	8.9	(5.6 - 12.2)	425	4.9	(1.7 - 8.1)	236	13.1	(8.0 - 18.1)	189
	12th	7.6	(3.3 - 11.9)	300	9.5	(2.3 - 16.6)	141	5.8	(2.3 - 9.3)	159
Race/Eth	nnicity									
	Black	12.7	(7.9 - 17.5)	164	-	-	80	-	-	84
	Hispanic/ Latino	-	-	73	-	-	37	-	-	36
	White	8.4	(6.7 - 10.2)	1,153	9.1	(6.7 - 11.5)	602	7.7	(5.2 - 10.3)	551
	All other races	-	-	45	-	-	29	-	-	16
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 14 students who did not provide usable data for QN7.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	92.3	(89.9 - 94.7)	1,014	92.9	(90.3 - 95.5)	567	91.7	(87.9 - 95.4)	447
Age										
	15 or younger	91.2	(88.1 - 94.4)	348	90.6	(86.8 - 94.5)	182	91.9	(86.5 - 97.4)	166
	16 or 17	92.2	(88.7 - 95.7)	531	93.7	(90.0 - 97.4)	310	90.3	(85.1 - 95.5)	221
	18 or older	95.7	(92.5 - 98.8)	135	-	-	75	-	-	60
Grade										
	9th	91.3	(87.9 - 94.7)	331	91.6	(88.0 - 95.3)	183	90.9	(84.9 - 96.9)	148
	10th	93.1	(89.4 - 96.8)	271	93.6	(88.9 - 98.3)	147	92.5	(87.5 - 97.5)	124
	11th	91.1	(85.9 - 96.3)	254	91.5	(85.7 - 97.4)	151	90.6	(83.1 - 98.2)	103
	12th	94.9	(89.7 -100.0)	152	-	-	80	-	-	72
Race/Et	hnicity									
	Black	-	-	92	_	-	48	-	-	44
	Hispanic/ Latino	-	-	54	-	-	30	-	-	24
	White	91.6	(88.7 - 94.6)	779	92.3	(89.0 - 95.5)	432	90.8	(86.5 - 95.2)	347
	All other races	-	-	36	-	-	28	-	-	8
	Multiple races	-	-	47	-	-	27	-	-	20

Note: There were 514 students who were excluded from this analysis or who did not provide usable data for QN8.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.2	(6.7 - 9.7)	1,521	12.5	(9.8 - 15.1)	794	3.8	(2.3 - 5.4)	727
Age										
	15 or younger	8.1	(5.4 - 10.7)	432	11.3	(6.9 - 15.6)	213	5.1	(2.4 - 7.8)	219
	16 or 17	7.9	(5.9 - 9.9)	829	11.9	(8.4 - 15.4)	443	3.7	(2.0 - 5.5)	386
	18 or older	9.5	(5.5 - 13.5)	260	16.1	(9.9 - 22.2)	138	1.6	(0.0 - 3.8)	122
Grade										
	9th	8.2	(5.7 - 10.7)	409	10.9	(7.0 - 14.9)	214	5.2	(2.3 - 8.1)	195
	10th	8.4	(5.6 - 11.2)	378	12.6	(7.7 - 17.6)	194	4.0	(0.8 - 7.1)	184
	11th	7.5	(5.0 - 10.0)	426	12.1	(7.7 - 16.6)	238	2.7	(0.4 - 5.1)	188
	12th	8.6	(4.6 - 12.5)	300	14.0	(7.1 - 20.9)	141	3.1	(0.1 - 6.1)	159
Race/Eth	nnicity									
	Black	6.2	(2.0 - 10.5)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	8.2	(6.5 - 9.9)	1,157	12.2	(9.1 - 15.3)	607	4.0	(2.3 - 5.7)	550
	All other races	-	-	47	-	-	30	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 7 students who did not provide usable data for QN9.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN10: Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days

		Total Percentage 95%				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	24.6	(21.0 - 28.1)	1,524	27.4	(22.4 - 32.4)	795	21.6	(18.1 - 25.2)	729
Age										
	15 or younger	25.1	(20.1 - 30.1)	432	24.2	(18.3 - 30.1)	213	26.0	(20.1 - 31.9)	219
	16 or 17	24.9	(20.9 - 28.8)	831	29.6	(23.8 - 35.4)	444	19.8	(16.1 - 23.5)	387
	18 or older	22.8	(16.1 - 29.5)	261	26.1	(16.0 - 36.2)	138	18.9	(12.1 - 25.6)	123
Grade										
	9th	26.1	(20.0 - 32.3)	409	26.9	(18.8 - 35.0)	214	25.4	(19.1 - 31.6)	195
	10th	26.2	(21.6 - 30.8)	378	28.5	(20.8 - 36.3)	194	23.7	(18.5 - 29.0)	184
	11th	22.3	(17.4 - 27.2)	428	26.7	(20.0 - 33.4)	239	17.7	(12.6 - 22.8)	189
	12th	23.1	(15.6 - 30.6)	301	27.6	(16.9 - 38.3)	141	18.6	(11.1 - 26.2)	160
Race/Et	hnicity									
	Black	23.8	(15.8 - 31.8)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	24.5	(20.7 - 28.3)	1,157	27.4	(21.8 - 32.9)	607	21.5	(17.5 - 25.5)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 4 students who did not provide usable data for QN10.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.2	(8.6 - 13.9)	1,517	15.0	(11.2 - 18.9)	788	7.3	(5.0 - 9.7)	729
Age										
	15 or younger	7.1	(4.7 - 9.5)	432	7.3	(3.9 - 10.8)	211	6.9	(3.9 - 10.0)	221
	16 or 17	11.0	(8.0 - 13.9)	824	15.5	(11.1 - 19.9)	439	6.3	(3.6 - 8.9)	385
	18 or older	19.1	(11.9 - 26.3)	261	25.4	(15.7 - 35.1)	138	11.7	(4.7 - 18.7)	123
Grade										
	9th	7.3	(4.7 - 9.8)	409	8.0	(4.5 - 11.5)	212	6.5	(3.4 - 9.6)	197
	10th	9.8	(6.4 - 13.3)	376	13.0	(7.5 - 18.6)	193	6.5	(2.5 - 10.6)	183
	11th	12.0	(8.3 - 15.6)	425	17.2	(11.2 - 23.3)	236	6.6	(3.2 - 9.9)	189
	12th	17.7	(10.3 - 25.0)	299	24.9	(15.4 - 34.4)	140	10.4	(3.5 - 17.3)	159
Race/Eth	nicity									
	Black	8.4	(3.5 - 13.4)	160	-	-	75	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	11.6	(9.0 - 14.2)	1,155	14.5	(10.7 - 18.4)	605	8.5	(6.2 - 10.9)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 11 students who did not provide usable data for QN11.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

		Total Percentage 95%				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	19.2	(16.7 - 21.6)	1,514	31.5	(28.3 - 34.7)	787	6.5	(4.6 - 8.4)	727
Age										
	15 or younger	18.3	(13.8 - 22.7)	432	28.6	(21.2 - 36.0)	212	8.7	(4.3 - 13.0)	220
	16 or 17	19.2	(15.4 - 23.0)	820	33.1	(27.5 - 38.7)	436	4.8	(2.6 - 6.9)	384
	18 or older	20.7	(13.8 - 27.6)	262	31.7	(21.9 - 41.4)	139	7.6	(1.5 - 13.8)	123
Grade										
	9th	21.8	(15.7 - 28.0)	409	32.7	(24.7 - 40.8)	213	10.4	(4.4 - 16.3)	196
	10th	15.6	(10.9 - 20.4)	372	26.9	(20.0 - 33.8)	190	4.1	(1.1 - 7.0)	182
	11th	20.6	(16.4 - 24.8)	423	35.3	(29.9 - 40.7)	235	5.6	(1.8 - 9.4)	188
	12th	17.8	(11.7 - 23.8)	302	30.2	(21.6 - 38.9)	142	5.3	(0.7 - 9.8)	160
Race/Et	hnicity									
	Black	19.5	(13.0 - 26.0)	164	-	-	79	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	19.2	(16.6 - 21.9)	1,150	32.0	(28.7 - 35.4)	601	5.8	(3.4 - 8.2)	549
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 14 students who did not provide usable data for QN12.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN13: Percentage of students who carried a gun on one or more of the past 30 days

		Percentage	Tota 95% confide interv	6 ence	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	5.8	(4.5 -	7.0)	1,512	10.5	(7.9 - 13.1)	784	0.9	(0.2 - 1.6)	728
Age											
	15 or younger	5.0	(2.9 -	7.1)	431	9.4	(5.2 - 13.5)	211	1.0	(0.0 - 2.3)	220
	16 or 17	5.7	(3.8 -	7.6)	820	10.5	(6.8 - 14.2)	435	0.8	(0.0 - 1.7)	385
	18 or older	7.2	(3.9 - 1	10.4)	261	12.4	(6.7 - 18.0)	138	1.0	(0.0 - 2.9)	123
Grade											
	9th	6.3	(4.2 -	8.5)	408	10.8	(7.0 - 14.7)	212	1.6	(0.0 - 3.4)	196
	10th	4.9	(1.9 -	8.0)	374	9.3	(3.6 - 15.1)	191	0.5	(0.0 - 1.3)	183
	11th	5.5	(3.1 -	7.9)	421	10.3	(5.9 - 14.7)	233	0.7	(0.0 - 1.6)	188
	12th	6.1	(2.9 -	9.2)	301	11.4	(5.6 - 17.2)	141	0.8	(0.0 - 2.2)	160
Race/Eth	nicity										
	Black	7.7	(2.8 - 1	12.7)	164	-	-	79	-	-	85
	Hispanic/ Latino	-	-		74	-	-	38	-	-	36
	White	5.2	(3.8 -	6.6)	1,148	9.4	(6.7 - 12.2)	598	0.8	(0.1 - 1.6)	550
	All other races	-	-		47	-	-	31	-	-	16
	Multiple races	-	-		71	-	-	34	-	-	37

Note: There were 16 students who did not provide usable data for QN13.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

		Percentage		con	otal 95% fidence terval	N	Percentage		Males 95% confidence interval	N	Percentage	Fema 95 confic inter	% lence	N
Т	Total	5.8	(4.4	- 7.2)	1,526	8.1	(6.1 - 10.1)	796	3.4	(1.7 -	5.1)	730
Age														
1	.5 or younger	5.3	(2.5	- 8.0)	434	5.6	(2.4 - 8.8)	213	5.0	(1.3 -	8.6)	221
1	6 or 17	5.4	(4.0	- 6.8)	829	8.5	(6.0 - 11.1)	443	2.2	(0.7 -	3.6)	386
1	8 or older	7.7	(3.6	- 11.8)	263	10.7	(4.3 - 17.0)	140	4.1	(0.4 -	7.9)	123
Grade														
Ç	9th	5.6	(2.7	- 8.6)	411	6.3	(2.7 - 9.8)	214	5.0	(0.9 -	9.1)	197
1	Oth	4.3	(2.3	- 6.2)	376	6.0	(3.3 - 8.7)	193	2.5	(0.0 -	4.9)	183
1	1th	6.8	(4.4	- 9.3)	428	11.0	(6.9 - 15.1)	239	2.6	(0.0 -	5.5)	189
1	2th	6.2	(2.4	- 10.1)	303	9.2	(3.0 - 15.5)	143	3.2	(0.0 -	6.5)	160
Race/Ethnic	city													
В	Black	8.6	(5.9	- 11.4)	164	-		-	79	-	-		85
H	Hispanic/ Latino	-			-	74	-		-	38	-	-		36
V	White	5.4	(3.7	- 7.1)	1,160	7.9	(5.4 - 10.4)	609	2.7	(0.9 -	4.5)	551
A	All other races	-			-	48	-		-	31	-	-		17
N	Multiple races	-			-	72	-		-	35	-	-		37

Note: There were 2 students who did not provide usable data for QN14.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	4.3	(3.4 - 5.2)	1,526	3.8	(2.5 - 5.2)	795	4.9	(3.4 - 6.4)	731
Age										
	15 or younger	3.8	(2.2 - 5.5)	434	2.2	(0.3 - 4.0)	213	5.4	(2.4 - 8.4)	221
	16 or 17	4.7	(3.6 - 5.8)	830	4.7	(2.9 - 6.5)	443	4.7	(2.7 - 6.6)	387
	18 or older	4.3	(2.0 - 6.5)	262	3.9	(0.8 - 7.0)	139	4.7	(1.1 - 8.2)	123
Grade										
	9th	4.3	(2.4 - 6.2)	411	2.8	(0.8 - 4.7)	214	6.0	(2.4 - 9.5)	197
	10th	4.9	(2.8 - 7.0)	378	3.9	(0.9 - 7.0)	194	5.9	(2.9 - 9.0)	184
	11th	4.1	(2.4 - 5.9)	427	4.0	(1.4 - 6.6)	238	4.2	(2.0 - 6.5)	189
	12th	4.0	(1.7 - 6.3)	303	5.0	(0.9 - 9.0)	143	2.9	(0.6 - 5.3)	160
Race/Eth	nnicity									
	Black	8.1	(4.1 - 12.0)	164	-	-	79	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	3.7	(2.6 - 4.8)	1,160	2.6	(1.5 - 3.7)	608	4.9	(3.0 - 6.8)	552
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 2 students who did not provide usable data for QN15.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.8	(6.9 - 10.7)	1,519	10.7	(7.8 - 13.7)	792	6.8	(4.4 - 9.2)	727
Age										
	15 or younger	10.4	(7.7 - 13.1)	432	9.9	(5.6 - 14.1)	212	10.9	(6.6 - 15.2)	220
	16 or 17	9.1	(6.8 - 11.4)	825	12.7	(9.2 - 16.2)	441	5.3	(3.0 - 7.6)	384
	18 or older	5.2	(1.4 - 8.9)	262	6.5	(1.3 - 11.6)	139	3.6	(0.0 - 7.6)	123
Grade										
	9th	11.3	(8.3 - 14.2)	409	10.9	(6.8 - 14.9)	213	11.6	(6.8 - 16.5)	196
	10th	11.5	(8.4 - 14.6)	375	15.3	(9.9 - 20.6)	191	7.6	(4.0 - 11.1)	184
	11th	6.7	(4.7 - 8.7)	426	9.1	(5.9 - 12.3)	239	4.1	(1.1 - 7.1)	187
	12th	4.6	(1.6 - 7.5)	301	6.7	(2.4 - 10.9)	142	2.5	(0.0 - 5.4)	159
Race/Et	hnicity									
	Black	8.6	(4.6 - 12.6)	160	-	-	78	-	-	82
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	8.7	(6.7 - 10.7)	1,158	10.1	(7.2 - 13.1)	607	7.1	(4.4 - 9.9)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 9 students who did not provide usable data for QN16.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN17: Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	30.7	(27.5 - 33.9)	1,527	34.4	(30.9 - 37.9)	797	26.9	(22.5 - 31.3)	730
Age										
	15 or younger	35.6	(31.6 - 39.5)	434	35.1	(29.2 - 41.0)	213	36.0	(30.7 - 41.4)	221
	16 or 17	29.8	(25.9 - 33.7)	830	36.1	(31.4 - 40.9)	444	23.1	(18.3 - 27.8)	386
	18 or older	25.2	(17.7 - 32.7)	263	28.6	(19.1 - 38.1)	140	21.1	(11.6 - 30.6)	123
Grade										
	9th	36.1	(32.7 - 39.4)	411	37.4	(32.1 - 42.7)	214	34.7	(28.8 - 40.6)	197
	10th	34.5	(28.9 - 40.0)	378	38.1	(31.1 - 45.2)	194	30.7	(23.6 - 37.7)	184
	11th	25.9	(21.1 - 30.7)	427	32.3	(26.9 - 37.7)	239	19.3	(13.1 - 25.5)	188
	12th	24.6	(17.9 - 31.3)	303	28.7	(20.0 - 37.5)	143	20.4	(12.0 - 28.9)	160
Race/Et	hnicity									
	Black	35.3	(26.8 - 43.9)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	29.6	(26.2 - 33.0)	1,160	33.8	(30.4 - 37.3)	609	25.1	(20.0 - 30.2)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There was 1 student who did not provide usable data for QN17.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months

		D. (Total	N	D	Males	N	D	Females	3.7
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	29.3	(26.4 - 32.3)	1,515	36.7	(33.2 - 40.3)	786	21.7	(18.0 - 25.5)	729
Age										
	15 or younger	31.8	(27.4 - 36.1)	428	36.3	(28.6 - 44.1)	208	27.5	(21.2 - 33.9)	220
	16 or 17	30.7	(26.6 - 34.8)	826	39.3	(34.8 - 43.8)	440	21.8	(17.2 - 26.3)	386
	18 or older	21.2	(15.9 - 26.5)	261	30.3	(23.5 - 37.1)	138	10.3	(4.6 - 16.0)	123
Grade										
	9th	34.6	(29.3 - 39.9)	405	39.8	(31.3 - 48.2)	209	29.3	(23.2 - 35.3)	196
	10th	33.1	(27.4 - 38.8)	377	41.7	(33.5 - 49.8)	193	24.3	(17.3 - 31.2)	184
	11th	27.2	(21.6 - 32.8)	425	35.4	(28.5 - 42.3)	237	18.8	(11.7 - 25.9)	188
	12th	20.0	(15.1 - 24.9)	300	28.0	(20.5 - 35.4)	140	12.1	(7.6 - 16.6)	160
Race/Et	hnicity									
	Black	35.0	(25.7 - 44.4)	161	-	-	76	-	-	85
	Hispanic/ Latino	-	-	72	-	-	37	-	-	35
	White	28.1	(25.0 - 31.1)	1,156	36.1	(32.2 - 39.9)	604	19.7	(16.0 - 23.4)	552
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 13 students who did not provide usable data for QN18.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN19: Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months

				To	tal				Males			Females	
		Percentage		confi	% dence rval	N	Percentage		95% confidence interval	N	Percentage	95% confidence interval	N
Total	I	3.4	(2.5 -	4.4)	1,523	4.5	(3.2 - 5.7)	795	2.4	(1.1 - 3.7)	728
Age													
15 or	younger	3.9	(1.8 -	5.9)	432	4.0	(1.3 - 6.6)	213	3.8	(0.7 - 6.8)	219
16 or	17	3.4	(2.1 -	4.6)	830	4.9	(2.7 - 7.2)	444	1.7	(0.7 - 2.8)	386
18 or	older	2.9	(0.7 -	5.1)	261	3.9	(0.4 - 7.4)	138	1.7	(0.0 - 4.0)	123
Grade													
9th		4.8	(2.5 -	7.0)	409	5.0	(2.1 - 7.9)	214	4.5	(1.0 - 8.0)	195
10th		3.6	(1.5 -	5.8)	377	4.7		1.1 - 8.3)	193	2.6	(0.3 - 4.9)	184
11th		2.5	(1.3 -	3.6)	427	4.8	(2.7 - 7.0)	239	0.0	(0.0 - 0.0)	188
12th		2.5	(0.7 -	4.4)	302	3.1	(0.0 - 6.1)	142	2.0	(0.0 - 4.1)	160
Race/Ethnicity													
Black	K	6.5	(2.1 -	10.9)	164	-		-	79	-	-	85
Hispa	anic/ Latino	-		-		72	-		-	37	-	-	35
Whit	e	2.9	(2.0 -	3.8)	1,159	4.1	(2.9 - 5.3)	609	1.7	(0.4 - 3.0)	550
All o	ther races	-		-		48	-		-	31	-	-	17
Mult	iple races	-		-		72	-		-	35	-	-	37

Note: There were 5 students who did not provide usable data for QN19.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.2	(9.3 - 13.1)	1,517	14.4	(11.7 - 17.1)	786	8.0	(5.8 - 10.1)	731
Age										
	15 or younger	14.6	(11.2 - 18.1)	430	17.4	(11.6 - 23.2)	209	12.1	(7.9 - 16.3)	221
	16 or 17	11.8	(9.4 - 14.2)	826	16.2	(12.6 - 19.9)	439	7.3	(4.8 - 9.7)	387
	18 or older	3.5	(1.3 - 5.7)	261	4.7	(1.4 - 8.0)	138	2.1	(0.0 - 5.3)	123
Grade										
	9th	18.3	(13.4 - 23.1)	406	22.3	(15.1 - 29.6)	209	14.1	(9.3 - 18.8)	197
	10th	12.8	(9.6 - 15.9)	377	15.9	(11.1 - 20.7)	193	9.6	(5.5 - 13.6)	184
	11th	8.2	(5.4 - 10.9)	426	12.5	(7.6 - 17.5)	237	3.7	(0.8 - 6.6)	189
	12th	3.3	(1.7 - 4.9)	300	3.9	(0.9 - 6.9)	140	2.8	(0.6 - 5.0)	160
Race/Et	hnicity									
	Black	14.4	(9.0 - 19.7)	161	-	-	76	-	-	85
	Hispanic/ Latino	-	-	72	-	-	36	-	-	36
	White	10.6	(8.6 - 12.5)	1,157	14.0	(11.3 - 16.8)	605	7.0	(4.6 - 9.3)	552
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 11 students who did not provide usable data for QN20.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN21: Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	12.5	(10.5 - 14.5)	1,525	11.6	(8.9 - 14.2)	794	13.5	(10.7 - 16.3)	731
Age										
	15 or younger	11.7	(8.1 - 15.2)	434	9.2	(4.1 - 14.4)	213	14.0	(9.8 - 18.1)	221
	16 or 17	13.0	(10.4 - 15.6)	828	12.8	(10.2 - 15.5)	441	13.2	(9.1 - 17.3)	387
	18 or older	12.5	(9.0 - 16.0)	263	11.5	(6.0 - 17.1)	140	13.6	(9.2 - 18.0)	123
Grade										
	9th	12.6	(8.5 - 16.7)	411	10.1	(4.6 - 15.7)	214	15.2	(9.8 - 20.6)	197
	10th	10.7	(7.6 - 13.8)	377	9.6	(5.8 - 13.3)	193	11.9	(7.9 - 16.0)	184
	11th	13.1	(8.6 - 17.6)	427	13.1	(7.9 - 18.2)	238	13.1	(7.3 - 18.9)	189
	12th	13.7	(10.8 - 16.6)	302	13.7	(8.6 - 18.8)	142	13.6	(8.6 - 18.6)	160
Race/Et	hnicity									
	Black	15.3	(9.3 - 21.3)	164	-	-	79	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	12.1	(9.5 - 14.8)	1,159	10.8	(7.7 - 14.0)	607	13.5	(10.2 - 16.9)	552
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 3 students who did not provide usable data for QN21.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	27.3	(24.0 - 30.7)	1,511	21.2	(18.1 - 24.3)	784	33.6	(28.4 - 38.8)	727
Age										
	15 or younger	28.4	(23.2 - 33.7)	429	17.5	(12.5 - 22.6)	208	38.4	(31.3 - 45.5)	221
	16 or 17	26.3	(21.8 - 30.9)	822	22.1	(17.8 - 26.5)	439	30.7	(23.7 - 37.7)	383
	18 or older	28.4	(21.5 - 35.2)	260	24.2	(17.0 - 31.4)	137	33.4	(22.9 - 43.8)	123
Grade										
	9th	27.6	(22.4 - 32.9)	405	19.1	(14.3 - 24.0)	209	36.5	(27.6 - 45.4)	196
	10th	29.8	(23.7 - 35.9)	374	22.1	(16.0 - 28.2)	191	37.8	(30.4 - 45.2)	183
	11th	27.6	(21.8 - 33.5)	422	24.5	(19.3 - 29.6)	235	30.9	(21.3 - 40.5)	187
	12th	23.4	(18.0 - 28.9)	302	18.9	(12.9 - 24.9)	142	28.0	(20.2 - 35.8)	160
Race/Et	hnicity									
	Black	25.2	(19.4 - 31.1)	162	-	-	78	-	-	84
	Hispanic/ Latino	-	-	72	-	-	36	-	-	36
	White	27.4	(23.8 - 30.9)	1,153	20.5	(17.0 - 24.0)	604	34.6	(29.2 - 40.0)	549
	All other races	-	-	47	-	-	30	-	-	17
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 17 students who did not provide usable data for QN23.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	18.0	(15.8 - 20.3)	1,525	14.3	(11.5 - 17.1)	796	22.0	(18.7 - 25.3)	729
Age										
	15 or younger	18.5	(15.0 - 22.0)	433	10.3	(6.1 - 14.4)	213	26.1	(21.4 - 30.8)	220
	16 or 17	17.2	(14.9 - 19.5)	829	15.1	(12.8 - 17.4)	443	19.4	(15.5 - 23.4)	386
	18 or older	19.7	(14.1 - 25.4)	263	18.0	(10.4 - 25.5)	140	21.9	(12.4 - 31.4)	123
Grade										
	9th	19.1	(16.0 - 22.1)	411	12.5	(8.6 - 16.4)	214	26.0	(21.6 - 30.4)	197
	10th	18.9	(14.4 - 23.4)	377	14.7	(10.1 - 19.2)	194	23.4	(17.4 - 29.3)	183
	11th	17.1	(13.3 - 20.9)	426	15.1	(11.3 - 19.0)	238	19.1	(12.6 - 25.7)	188
	12th	16.6	(12.1 - 21.1)	303	15.0	(9.1 - 21.0)	143	18.2	(11.8 - 24.6)	160
Race/Eth	nnicity									
	Black	14.5	(10.6 - 18.5)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	18.7	(16.1 - 21.2)	1,158	14.6	(11.5 - 17.7)	608	23.0	(18.9 - 27.1)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 3 students who did not provide usable data for QN24.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.8	(12.6 - 16.9)	1,526	12.6	(9.7 - 15.5)	796	17.0	(13.7 - 20.3)	730
Age										
	15 or younger	15.4	(12.3 - 18.6)	434	8.4	(4.6 - 12.2)	213	21.9	(17.6 - 26.2)	221
	16 or 17	14.8	(12.1 - 17.5)	829	15.1	(12.2 - 18.0)	443	14.5	(10.8 - 18.3)	386
	18 or older	13.6	(8.5 - 18.6)	263	12.1	(5.6 - 18.7)	140	15.3	(7.9 - 22.7)	123
Grade										
	9th	17.4	(13.6 - 21.3)	411	12.4	(7.9 - 16.9)	214	22.7	(17.6 - 27.7)	197
	10th	15.5	(12.5 - 18.4)	378	13.4	(8.9 - 17.9)	194	17.6	(13.6 - 21.7)	184
	11th	13.3	(9.1 - 17.5)	426	14.4	(10.0 - 18.9)	238	12.1	(6.9 - 17.4)	188
	12th	11.9	(7.9 - 15.8)	303	9.5	(4.4 - 14.6)	143	14.3	(8.5 - 20.0)	160
Race/Etl	nnicity									
	Black	9.3	(6.4 - 12.2)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	<u>-</u>	74	-	-	38	-	-	36
	White	15.2	(12.7 - 17.7)	1,159	12.7	(9.6 - 15.9)	608	17.8	(13.8 - 21.9)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 2 students who did not provide usable data for QN25.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	9.6	(7.6 - 11.6)	1,356	7.9	(5.4 - 10.3)	698	11.4	(8.6 - 14.1)	658
Age										
	15 or younger	10.5	(7.2 - 13.7)	385	6.0	(1.4 - 10.5)	184	14.4	(10.2 - 18.6)	201
	16 or 17	9.1	(7.1 - 11.2)	740	7.4	(5.4 - 9.5)	394	10.9	(7.2 - 14.7)	346
	18 or older	9.6	(4.6 - 14.6)	231	12.0	(4.1 - 19.9)	120	6.9	(1.4 - 12.4)	111
Grade										
	9th	12.0	(7.9 - 16.2)	362	7.8	(3.2 - 12.4)	185	16.3	(10.3 - 22.2)	177
	10th	9.9	(6.8 - 12.9)	337	8.2	(4.2 - 12.2)	173	11.6	(6.7 - 16.6)	164
	11th	9.1	(6.1 - 12.0)	376	7.3	(3.6 - 10.9)	207	10.9	(6.1 - 15.7)	169
	12th	6.9	(3.4 - 10.3)	274	8.4	(2.2 - 14.6)	127	5.4	(1.0 - 9.8)	147
Race/Eth	nnicity									
	Black	7.1	(2.9 - 11.2)	136	-	-	66	-	-	70
	Hispanic/ Latino	-	-	66	-	-	33	-	-	33
	White	9.9	(7.6 - 12.2)	1,041	8.0	(5.4 - 10.7)	540	11.8	(8.4 - 15.3)	501
	All other races	-	-	41	-	-	27	-	-	14
	Multiple races	-	-	65	-	-	29	-	-	36

Note: There were 172 students who did not provide usable data for QN26.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN27: Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months

		Percentage	Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	3.5	(2.5 - 4.6)	1,360	3.6	(2.0 - 5.2)	702	3.4	(2.1 - 4.8)	658
Age										
	15 or younger	3.2	(1.6 - 4.8)	387	3.0	(0.4 - 5.5)	185	3.3	(1.2 - 5.4)	202
	16 or 17	3.9	(2.1 - 5.7)	742	4.0	(2.1 - 5.9)	396	3.8	(1.1 - 6.5)	346
	18 or older	3.1	(0.9 - 5.4)	231	3.7	(0.1 - 7.3)	121	2.5	(0.0 - 5.3)	110
Grade										
	9th	3.2	(1.6 - 4.8)	364	2.5	(0.2 - 4.8)	186	4.0	(1.6 - 6.4)	178
	10th	5.0	(2.4 - 7.5)	337	5.8	(2.0 - 9.7)	174	4.1	(0.5 - 7.8)	163
	11th	3.8	(1.9 - 5.6)	376	3.9	(1.6 - 6.2)	208	3.6	(0.7 - 6.5)	168
	12th	2.0	(0.5 - 3.5)	276	2.2	(0.0 - 4.7)	128	1.8	(0.0 - 3.9)	148
Race/Et	hnicity									
	Black	2.8	(0.1 - 5.5)	136	-	-	67	-	-	69
	Hispanic/ Latino	-	-	66	-	-	33	-	-	33
	White	3.6	(2.4 - 4.8)	1,045	3.7	(1.8 - 5.6)	543	3.5	(1.9 - 5.2)	502
	All other races	-	-	41	-	-	27	-	-	14
	Multiple races	-	-	65	-	-	29	-	-	36

Note: There were 168 students who did not provide usable data for QN27.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN28: Percentage of students who ever tried cigarette smoking, even one or two puffs

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	56.9	(52.6 - 61.2)	1,488	59.7	(55.6 - 63.8)	772	54.0	(47.2 - 60.8)	716
Age										
	15 or younger	50.3	(43.3 - 57.3)	426	50.2	(41.5 - 59.0)	208	50.4	(40.1 - 60.7)	218
	16 or 17	57.6	(51.8 - 63.4)	808	60.6	(56.1 - 65.1)	430	54.5	(45.2 - 63.8)	378
	18 or older	66.2	(59.2 - 73.3)	254	72.0	(64.0 - 79.9)	134	59.5	(49.0 - 69.9)	120
Grade										
	9th	53.4	(44.6 - 62.1)	403	55.8	(46.4 - 65.3)	208	50.8	(38.6 - 63.1)	195
	10th	57.4	(51.5 - 63.3)	367	58.3	(50.6 - 66.0)	188	56.5	(48.8 - 64.2)	179
	11th	56.5	(50.3 - 62.8)	416	59.9	(53.3 - 66.5)	231	53.1	(43.0 - 63.3)	185
	12th	61.6	(54.6 - 68.5)	294	66.7	(57.0 - 76.4)	138	56.5	(46.7 - 66.3)	156
Race/Et	nnicity									
	Black	47.9	(40.3 - 55.6)	160	-	-	76	-	-	84
	Hispanic/ Latino	-	-	72	-	-	38	-	-	34
	White	58.1	(53.3 - 62.8)	1,133	60.2	(55.0 - 65.3)	592	55.9	(49.1 - 62.7)	541
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	67	-	-	31	-	-	36

Note: There were 40 students who did not provide usable data for QN28.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	16.8	(13.8 - 19.7)	1,460	18.2	(14.7 - 21.6)	755	15.4	(12.3 - 18.5)	705
Age										
	15 or younger	17.9	(13.6 - 22.3)	419	19.8	(13.7 - 26.0)	202	16.2	(11.7 - 20.7)	217
	16 or 17	16.3	(11.6 - 21.0)	789	17.8	(12.7 - 23.0)	421	14.7	(9.5 - 19.9)	368
	18 or older	16.2	(10.2 - 22.2)	252	16.5	(10.2 - 22.9)	132	15.8	(6.5 - 25.2)	120
Grade										
	9th	21.8	(15.6 - 28.1)	391	24.7	(17.0 - 32.3)	199	18.9	(12.1 - 25.8)	192
	10th	15.8	(10.8 - 20.8)	364	17.6	(9.7 - 25.5)	187	13.9	(8.9 - 19.0)	177
	11th	14.8	(9.6 - 20.0)	408	15.1	(10.2 - 20.0)	227	14.6	(7.8 - 21.3)	181
	12th	13.4	(8.6 - 18.2)	289	13.3	(7.3 - 19.4)	135	13.4	(8.0 - 18.9)	154
Race/Etl	nnicity									
	Black	12.1	(8.6 - 15.6)	156	-	-	74	-	-	82
	Hispanic/ Latino	-	-	69	-	-	36	-	-	33
	White	17.2	(13.7 - 20.7)	1,115	17.9	(13.8 - 22.1)	581	16.5	(12.9 - 20.1)	534
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	66	-	-	30	-	-	36

Note: There were 68 students who did not provide usable data for QN29.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	21.9	(17.9 - 25.9)	1,467	23.2	(18.6 - 27.7)	764	20.5	(15.9 - 25.2)	703
Age										
	15 or younger	17.1	(12.6 - 21.5)	418	15.0	(9.3 - 20.8)	204	19.0	(13.0 - 25.0)	214
	16 or 17	23.1	(18.6 - 27.6)	797	24.7	(20.4 - 29.0)	426	21.4	(15.6 - 27.3)	371
	18 or older	26.5	(17.6 - 35.4)	252	31.1	(20.5 - 41.7)	134	20.9	(10.6 - 31.2)	118
Grade										
	9th	20.6	(14.3 - 26.9)	394	20.2	(13.0 - 27.5)	205	20.9	(13.0 - 28.8)	189
	10th	21.8	(16.6 - 26.9)	364	23.3	(16.1 - 30.5)	187	20.2	(14.7 - 25.6)	177
	11th	22.7	(16.6 - 28.7)	409	23.9	(19.7 - 28.1)	227	21.4	(11.7 - 31.2)	182
	12th	22.9	(14.8 - 31.0)	292	26.2	(15.4 - 37.0)	138	19.6	(11.0 - 28.3)	154
Race/Eth	nnicity									
	Black	9.4	(4.6 - 14.2)	155	-	-	72	-	-	83
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	23.4	(19.4 - 27.4)	1,123	23.9	(19.0 - 28.8)	591	22.9	(18.3 - 27.5)	532
	All other races	-	-	41	-	-	27	-	-	14
	Multiple races	-	-	67	-	-	33	-	-	34

Note: There were 61 students who did not provide usable data for QN30.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

		Percentage	Total 95% confidence interval		Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	10.6	(7.8 - 13	.5) 1,467	11.5	(8.1 - 14.9)	764	9.7	(6.6 - 12.8)	703
Age										
	15 or younger	7.0	(4.3 - 9	.7) 418	6.5	(2.1 - 10.9)	204	7.4	(4.6 - 10.3)	214
	16 or 17	11.1	(7.8 - 14	.4) 797	11.7	(7.9 - 15.5)	426	10.6	(6.5 - 14.6)	371
	18 or older	15.5	(8.2 - 22	.8) 252	18.7	(9.8 - 27.6)	134	11.7	(4.8 - 18.6)	118
Grade										
	9th	8.8	(4.8 - 12	.8) 394	10.3	(4.8 - 15.7)	205	7.3	(3.6 - 10.9)	189
	10th	8.5	(5.8 - 11	.2) 364	8.4	(3.8 - 13.0)	187	8.6	(5.0 - 12.3)	177
	11th	11.8	(7.3 - 16	.3) 409	11.5	(6.1 - 16.9)	227	12.1	(6.2 - 18.0)	182
	12th	14.3	(7.7 - 20	.9) 292	16.8	(7.9 - 25.7)	138	11.7	(5.8 - 17.7)	154
Race/Eth	nnicity									
	Black	3.6	(0.5 - 6	.6) 155	-	-	72	-	-	83
	Hispanic/ Latino	-	· -	74	-	-	38	-	-	36
	White	11.5	(8.6 - 14	.4) 1,123	12.1	(8.4 - 15.8)	591	10.9	(7.6 - 14.2)	532
	All other races	-	-	41	-	-	27	-	-	14
	Multiple races	-	-	67	-	-	33	-	-	34

Note: There were 61 students who did not provide usable data for QNFRCIG.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN31: Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.2	(9.1 - 17.2)	318	15.3	(9.1 - 21.6)	179	10.6	(6.0 - 15.2)	139
Age										
	15 or younger	_	-	70	-	-	31	_	-	39
	16 or 17	11.6	(5.5 - 17.7)	180	15.3	(7.5 - 23.1)	104	-	-	76
	18 or older	-	-	68	-	-	44	-	-	24
Grade										
	9th	_	-	76	-	-	40	_	-	36
	10th	-	-	82	-	-	45	-	-	37
	11th	-	-	90	-	-	55	-	-	35
	12th	-	-	68	-	-	37	-	-	31
Race/Et	thnicity									
	Black	_	-	16	-	-	9	-	-	7
	Hispanic/ Latino	-	-	14	-	-	8	-	-	6
	White	14.4	(10.0 - 18.8)	262	16.7	(9.6 - 23.8)	142	11.8	(6.8 - 16.7)	120
	All other races	-	-	12	-	-	10	-	-	2
	Multiple races	-	-	11	-	-	9	-	-	2

Note: There were 1210 students who were excluded from this analysis or who did not provide usable data for QN31.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN32: Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	18.2	(12.5 - 23.9)	250	22.8	(16.8 - 28.9)	136	13.3	(4.1 - 22.5)	114
Age										
	15 or younger	-	-	70	-	-	32	-	-	38
	16 or 17	24.0	(17.1 - 30.8)	180	28.2	(21.0 - 35.4)	104	-	-	76
	18 or older	-	-	0	-	-	0	-	-	0
Grade										
	9th	-	-	76	-	-	41	-	-	35
	10th	-	-	80	-	-	44	-	-	36
	11th	-	-	78	-	-	45	-	-	33
	12th	-	-	14	-	-	4	-	-	10
Race/Et	hnicity									
	Black	-	-	13	-	-	6	-	-	7
	Hispanic/ Latino	-	-	9	-	-	4	-	-	5
	White	18.7	(12.2 - 25.1)	204	24.8	(18.1 - 31.6)	108	-	-	96
	All other races	-	-	11	-	-	9	-	-	2
	Multiple races	-	-	10	-	-	8	-	-	2

Note: There were 1278 students who were excluded from this analysis or who did not provide usable data for QN32.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.1	(4.3 - 7.9)	1,508	7.2	(4.8 - 9.5)	785	5.0	(2.9 - 7.2)	723
Age										
	15 or younger	4.1	(2.1 - 6.1)	431	3.6	(0.8 - 6.4)	211	4.6	(1.9 - 7.2)	220
	16 or 17	6.6	(4.5 - 8.7)	819	7.4	(5.1 - 9.6)	437	5.8	(3.0 - 8.6)	382
	18 or older	8.2	(2.7 - 13.7)	258	12.1	(4.7 - 19.5)	137	3.5	(0.0 - 7.8)	121
Grade										
	9th	4.6	(2.3 - 6.8)	405	4.2	(1.2 - 7.2)	210	5.0	(2.2 - 7.8)	195
	10th	6.4	(3.9 - 8.8)	376	6.5	(3.1 - 9.9)	193	6.2	(2.1 - 10.3)	183
	11th	7.1	(4.2 - 10.1)	420	9.2	(5.3 - 13.1)	234	5.0	(1.3 - 8.6)	186
	12th	6.7	(2.4 - 11.0)	299	9.6	(3.7 - 15.5)	141	3.7	(0.2 - 7.3)	158
Race/Et	nnicity									
	Black	3.5	(0.9 - 6.0)	161	-	-	78	-	-	83
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	6.7	(4.7 - 8.8)	1,152	7.5	(4.8 - 10.2)	605	5.9	(3.5 - 8.3)	547
	All other races	-	-	44	-	-	28	-	-	16
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 20 students who did not provide usable data for QN33.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN34: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	16.1	(13.0 - 19.3)	1,476	16.8	(13.2 - 20.4)	765	15.5	(11.8 - 19.2)	711
Age										
	15 or younger	11.1	(7.0 - 15.1)	424	10.5	(5.7 - 15.4)	207	11.6	(6.3 - 16.8)	217
	16 or 17	16.6	(12.3 - 20.9)	798	16.5	(12.7 - 20.3)	426	16.7	(10.9 - 22.5)	372
	18 or older	23.7	(17.6 - 29.8)	254	27.5	(19.0 - 36.1)	132	19.3	(13.1 - 25.4)	122
Grade										
	9th	13.2	(7.8 - 18.7)	399	13.7	(7.7 - 19.6)	206	12.8	(6.4 - 19.3)	193
	10th	13.5	(10.0 - 16.9)	365	13.8	(8.6 - 19.0)	188	13.1	(9.1 - 17.1)	177
	11th	17.7	(11.5 - 23.8)	412	17.2	(11.9 - 22.6)	229	18.1	(9.4 - 26.7)	183
	12th	21.8	(15.6 - 28.1)	292	24.7	(15.1 - 34.3)	135	19.0	(13.2 - 24.9)	157
Race/Eth	nnicity									
	Black	7.8	(3.9 - 11.7)	160	-	-	77	-	-	83
	Hispanic/ Latino	-	<u>-</u>	71	-	-	37	-	-	34
	White	17.1	(13.7 - 20.6)	1,124	17.5	(13.5 - 21.4)	586	16.8	(12.7 - 21.0)	538
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	67	-	-	31	-	-	36

Note: There were 52 students who did not provide usable data for QN34.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN35: Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	61.1	(56.1 - 66.2)	312	55.7	(48.6 - 62.8)	175	67.5	(60.4 - 74.6)	137
Age										
	15 or younger	-	-	69	-	-	31	-	-	38
	16 or 17	62.4	(56.5 - 68.4)	175	54.5	(46.4 - 62.6)	101	-	-	74
	18 or older	-	-	68	-	-	43	-	-	25
Grade										
	9th	-	-	74	-	-	40	-	-	34
	10th	-	-	80	-	-	44	-	-	36
	11th	-	-	88	-	-	53	-	-	35
	12th	-	-	68	-	-	36	-	-	32
Race/Eth	nnicity									
	Black	-	-	16	-	-	9	-	-	7
	Hispanic/ Latino	-	-	13	-	-	8	-	-	5
	White	61.3	(54.6 - 67.9)	257	54.5	(45.9 - 63.1)	138	68.8	(60.1 - 77.6)	119
	All other races	-	-	12	-	-	10	-	-	2
	Multiple races	-	-	11	-	-	9	-	-	2

Note: There were 1216 students who were excluded from this analysis or who did not provide usable data for QN35.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN36: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

			Total			Males			Females	
		Percentage	e 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.6	(6.5 - 10.6)	1,518	14.8	(11.1 - 18.5)	789	2.1	(1.1 - 3.2)	729
Age										
	15 or younger	6.8	(3.0 - 10.5)	428	12.2	(4.8 - 19.5)	208	1.9	(0.1 - 3.6)	220
	16 or 17	9.1	(7.1 - 11.0)	828	16.0	(12.1 - 19.8)	442	1.8	(0.4 - 3.2)	386
	18 or older	10.1	(5.9 - 14.3)	262	15.4	(8.4 - 22.4)	139	3.7	(0.0 - 7.5)	123
Grade										
	9th	8.4	(4.1 - 12.6)	405	14.5	(7.1 - 21.9)	209	2.1	(0.1 - 4.1)	196
	10th	8.3	(5.1 - 11.5)	377	14.6	(8.6 - 20.7)	193	1.7	(0.0 - 3.5)	184
	11th	9.0	(6.0 - 11.9)	426	15.6	(10.0 - 21.2)	238	2.1	(0.3 - 3.9)	188
	12th	8.7	(4.6 - 12.7)	302	14.5	(7.4 - 21.6)	142	2.8	(0.0 - 5.7)	160
Race/Et	hnicity									
	Black	3.8	(1.1 - 6.5)	164	-	-	79	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	9.2	(6.8 - 11.6)	1,153	15.8	(11.5 - 20.1)	603	2.3	(0.9 - 3.6)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 10 students who did not provide usable data for QN36.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN37: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

		Percentage		9 conf	otal 5% idence erval	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
To	otal	4.3	(3.2 -	5.4)	1,515	7.8	(5.9 - 9.7)	786	0.6	(0.0 - 1.3)	729
Age													
15	or younger	3.6	(1.2 -	6.0)	427	6.6	(2.1 - 11.1)	207	0.9	(0.0 - 2.1)	220
16	5 or 17	3.8	(2.4 -	5.1)	826	7.2	(4.6 - 9.7)	440	0.2	(0.0 - 0.7)	386
18	3 or older	7.0	(3.1 -	10.9)	262	11.5	(5.3 - 17.7)	139	1.5	(0.0 - 3.6)	123
Grade													
91	th	4.3	(2.1 -	6.4)	404	7.5	(3.6 - 11.3)	208	1.0	(0.0 - 2.4)	196
10	Oth	3.0	(0.9 -	5.2)	376	6.0	(1.9 - 10.1)	192	0.0	(0.0 - 0.0)	184
11	th	4.4	(2.3 -	6.6)	425	8.3	(4.2 - 12.4)	237	0.5	(0.0 - 1.4)	188
12	2th	5.8	(2.3 -	9.3)	302	10.3	(4.3 - 16.4)	142	1.2	(0.0 - 2.8)	160
Race/Ethnici	ity												
Bl	lack	2.9	(0.6 -	5.2)	163	-		-	78	-	-	85
Hi	ispanic/ Latino	-		-	-	74	-		-	38	-	-	36
W	Thite	4.5	(3.3 -	5.7)	1,151	8.1	(6.0 - 10.2)	601	0.7	(0.0 - 1.4)	550
Al	ll other races	-		-		48	-		-	31	-	-	17
M	ultiple races	-		-	-	71	-		-	34	-	-	37

Note: There were 13 students who did not provide usable data for QN37.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN38: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	15.6	(12.8 - 18.4)	1,518	22.7	(18.9 - 26.5)	791	8.3	(5.7 - 10.8)	727
Age										
	15 or younger	9.7	(7.6 - 11.9)	432	14.0	(9.7 - 18.4)	212	5.7	(1.3 - 10.1)	220
	16 or 17	16.3	(12.8 - 19.9)	825	23.0	(18.3 - 27.7)	440	9.4	(6.1 - 12.7)	385
	18 or older	23.7	(15.4 - 32.1)	261	35.3	(23.9 - 46.6)	139	9.7	(3.0 - 16.4)	122
Grade										
	9th	12.1	(9.0 - 15.3)	408	17.0	(12.1 - 22.0)	213	6.9	(1.9 - 12.0)	195
	10th	15.2	(11.1 - 19.2)	374	20.0	(14.5 - 25.4)	191	10.2	(5.1 - 15.4)	183
	11th	16.6	(12.1 - 21.1)	426	25.5	(18.9 - 32.1)	237	7.6	(3.7 - 11.4)	189
	12th	19.7	(12.4 - 27.0)	302	30.8	(19.4 - 42.2)	143	8.4	(3.1 - 13.8)	159
Race/Et	hnicity									
	Black	10.0	(4.4 - 15.6)	162	-	-	78	-	-	84
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	16.2	(13.5 - 18.9)	1,155	23.4	(19.6 - 27.3)	605	8.6	(5.6 - 11.6)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 10 students who did not provide usable data for QN38.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	29.2	(25.1 - 33.2)	1,451	35.4	(30.7 - 40.1)	752	22.8	(17.9 - 27.6)	699
Age										
	15 or younger	20.6	(16.3 - 25.0)	413	22.0	(14.9 - 29.2)	199	19.4	(13.2 - 25.5)	214
	16 or 17	30.5	(25.4 - 35.6)	788	37.1	(31.6 - 42.5)	420	23.7	(17.4 - 29.9)	368
	18 or older	39.8	(29.3 - 50.3)	250	50.6	(38.5 - 62.7)	133	26.7	(14.5 - 38.9)	117
Grade										
	9th	25.7	(18.9 - 32.5)	388	29.8	(20.8 - 38.8)	200	21.5	(13.6 - 29.5)	188
	10th	27.5	(22.6 - 32.4)	359	33.3	(26.3 - 40.3)	183	21.5	(15.3 - 27.7)	176
	11th	29.9	(23.0 - 36.7)	405	35.1	(29.9 - 40.3)	224	24.6	(14.7 - 34.5)	181
	12th	35.1	(25.7 - 44.5)	291	46.0	(33.5 - 58.5)	138	23.9	(14.1 - 33.8)	153
Race/Et	hnicity									
	Black	14.4	(7.5 - 21.3)	152	-	-	70	-	-	82
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	31.1	(27.2 - 34.9)	1,111	36.7	(31.6 - 41.8)	581	25.1	(20.2 - 30.0)	530
	All other races	-	-	41	-	-	27	-	-	14
	Multiple races	-	-	67	-	-	33	-	-	34

Note: There were 77 students who did not provide usable data for QNANYTOB.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	75.0	(71.8 - 78.2)	1,390	76.1	(72.7 - 79.5)	715	73.9	(69.8 - 78.1)	675
Age										
	15 or younger	68.4	(62.4 - 74.5)	383	67.5	(59.8 - 75.3)	184	69.3	(62.9 - 75.7)	199
	16 or 17	75.4	(71.5 - 79.3)	761	77.7	(73.7 - 81.7)	402	73.0	(67.4 - 78.6)	359
	18 or older	84.8	(79.5 - 90.2)	246	84.3	(77.1 - 91.5)	129	85.5	(78.6 - 92.3)	117
Grade										
	9th	68.3	(61.0 - 75.6)	361	70.0	(61.9 - 78.1)	185	66.5	(58.0 - 75.0)	176
	10th	75.6	(70.1 - 81.1)	351	75.5	(68.5 - 82.6)	176	75.7	(68.7 - 82.8)	175
	11th	75.8	(71.0 - 80.6)	386	79.6	(74.3 - 84.9)	214	71.9	(64.0 - 79.8)	172
	12th	82.4	(76.4 - 88.4)	285	81.0	(73.7 - 88.4)	134	83.8	(76.4 - 91.1)	151
Race/Etl	nnicity									
	Black	67.6	(60.6 - 74.6)	143	-	-	69	-	-	74
	Hispanic/ Latino	-	-	66	-	-	34	-	-	32
	White	76.0	(72.8 - 79.3)	1,065	76.6	(72.9 - 80.3)	551	75.5	(71.4 - 79.5)	514
	All other races	-	-	42	-	-	25	-	-	17
	Multiple races	-	-	66	-	-	32	-	-	34

Note: There were 138 students who did not provide usable data for QN39.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	21.8	(18.7 - 24.9)	1,385	25.9	(22.0 - 29.8)	713	17.6	(14.0 - 21.2)	672
Age										
	15 or younger	27.9	(23.0 - 32.7)	385	31.4	(25.2 - 37.6)	184	24.7	(18.1 - 31.2)	201
	16 or 17	20.8	(16.8 - 24.7)	756	24.7	(19.9 - 29.4)	401	16.7	(12.5 - 20.9)	355
	18 or older	14.7	(9.9 - 19.5)	244	21.3	(13.2 - 29.4)	128	7.0	(2.3 - 11.7)	116
Grade										
	9th	30.3	(25.6 - 35.1)	362	36.3	(29.6 - 43.0)	184	24.3	(18.4 - 30.2)	178
	10th	23.4	(18.9 - 27.9)	352	24.0	(18.6 - 29.3)	178	22.8	(16.4 - 29.2)	174
	11th	18.3	(12.8 - 23.8)	383	22.4	(15.6 - 29.3)	213	14.1	(7.6 - 20.5)	170
	12th	12.7	(7.7 - 17.7)	281	18.9	(9.7 - 28.1)	132	6.4	(2.4 - 10.4)	149
Race/Eth	nnicity									
	Black	25.1	(13.4 - 36.8)	142	-	-	68	-	-	74
	Hispanic/ Latino	-	-	67	-	-	34	-	-	33
	White	20.8	(17.2 - 24.4)	1,061	25.0	(20.2 - 29.8)	550	16.4	(12.4 - 20.5)	511
	All other races	-	-	43	-	-	26	-	-	17
	Multiple races	-	-	64	-	-	31	-	-	33

Note: There were 143 students who did not provide usable data for QN40.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	41.4	(37.3 - 45.6)	1,476	41.6	(37.0 - 46.2)	764	41.3	(35.9 - 46.6)	712
Age										
	15 or younger	37.5	(31.9 - 43.1)	420	32.9	(25.0 - 40.9)	204	41.7	(34.4 - 48.9)	216
	16 or 17	41.6	(36.3 - 46.9)	798	43.0	(38.2 - 47.9)	425	40.1	(33.1 - 47.2)	373
	18 or older	47.7	(41.7 - 53.6)	258	50.7	(41.8 - 59.6)	135	44.2	(32.9 - 55.4)	123
Grade										
	9th	37.9	(30.7 - 45.2)	394	34.5	(24.7 - 44.4)	202	41.4	(32.7 - 50.1)	192
	10th	39.3	(33.9 - 44.6)	366	38.5	(32.3 - 44.6)	188	40.1	(33.5 - 46.7)	178
	11th	42.8	(37.4 - 48.2)	414	46.0	(39.9 - 52.1)	230	39.6	(31.8 - 47.5)	184
	12th	47.4	(39.1 - 55.6)	294	50.1	(39.9 - 60.3)	137	44.7	(33.4 - 55.9)	157
Race/Etl	nnicity									
	Black	31.3	(23.2 - 39.3)	153	-	-	71	-	-	82
	Hispanic/ Latino	-	-	71	-	-	38	-	-	33
	White	42.7	(38.5 - 46.9)	1,126	42.2	(37.6 - 46.8)	587	43.2	(37.3 - 49.0)	539
	All other races	-	-	46	-	-	29	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 52 students who did not provide usable data for QN41.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

			Total			Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	24.6	(20.6 - 28.7)	1,506	27.4	(23.1 - 31.7)	785	21.7	(16.6 - 26.8)	721
Age										
	15 or younger	18.8	(13.8 - 23.8)	428	16.9	(10.8 - 23.1)	211	20.5	(13.7 - 27.4)	217
	16 or 17	25.7	(20.7 - 30.7)	816	30.1	(25.8 - 34.5)	435	21.1	(14.2 - 28.0)	381
	18 or older	31.6	(25.1 - 38.1)	262	36.1	(26.5 - 45.7)	139	26.1	(19.8 - 32.5)	123
Grade										
	9th	21.6	(14.7 - 28.5)	403	19.7	(12.1 - 27.3)	210	23.7	(14.7 - 32.6)	193
	10th	22.3	(17.7 - 26.9)	371	26.1	(22.3 - 29.9)	190	18.4	(12.1 - 24.6)	181
	11th	25.1	(20.3 - 30.0)	424	31.4	(25.2 - 37.6)	237	18.7	(12.2 - 25.1)	187
	12th	31.3	(23.5 - 39.0)	300	35.6	(25.2 - 46.1)	141	26.9	(18.8 - 34.9)	159
Race/Et	hnicity									
	Black	11.3	(6.3 - 16.4)	162	-	-	78	-	-	84
	Hispanic/ Latino	-	-	72	-	-	38	-	-	34
	White	26.2	(22.1 - 30.4)	1,146	28.2	(23.8 - 32.7)	601	24.1	(18.8 - 29.5)	545
	All other races	-	-	46	-	-	29	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 22 students who did not provide usable data for QN42.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN43: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

		Total			Males			Females		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	3.4	(2.1 - 4.6)	1,515	4.8	(2.8 - 6.8)	791	1.9	(0.6 - 3.2)	724	
Age										
15 or younger	3.5	(1.1 - 5.9)	430	2.7	(0.1 - 5.4)	211	4.2	(0.4 - 7.9)	219	
16 or 17	3.5	(2.1 - 5.0)	823	5.9	(3.3 - 8.5)	441	1.1	(0.2 - 2.0)	382	
18 or older	2.6	(0.9 - 4.4)	262	4.8	(2.0 - 7.7)	139	0.0	(0.0 - 0.0)	123	
Grade										
9th	3.4	(1.3 - 5.6)	407	3.6	(0.7 - 6.5)	212	3.2	(0.1 - 6.4)	195	
10th	3.6	(1.6 - 5.6)	373	4.3	(1.1 - 7.4)	193	2.9	(0.8 - 4.9)	180	
11th	4.2	(2.3 - 6.1)	426	7.5	(4.0 - 11.0)	238	0.8	(0.0 - 1.8)	188	
12th	2.1	(0.6 - 3.7)	301	4.0	(1.2 - 6.9)	141	0.3	(0.0 - 0.8)	160	
Race/Ethnicity										
Black	3.3	(0.0 - 6.6)	161	-	-	77	-	-	84	
Hispanic/ Latino	-	-	72	-	-	38	-	-	34	
White	3.3	(2.0 - 4.5)	1,154	4.7	(2.5 - 6.8)	606	1.7	(0.3 - 3.2)	548	
All other races	-	-	48	-	-	31	-	-	17	
Multiple races	-	-	72	-	-	35	-	-	37	

Note: There were 13 students who did not provide usable data for QN43.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN44: Percentage of students who used marijuana one or more times during their life

			Total			Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	38.2	(34.5 - 42.0)	1,495	41.3	(37.0 - 45.7)	772	35.1	(30.0 - 40.3)	723
Age										
	15 or younger	28.7	(23.2 - 34.1)	429	27.9	(21.4 - 34.4)	209	29.4	(20.3 - 38.4)	220
	16 or 17	40.7	(35.6 - 45.9)	810	44.6	(38.0 - 51.2)	427	36.8	(30.8 - 42.7)	383
	18 or older	47.7	(40.6 - 54.8)	256	53.0	(42.8 - 63.2)	136	41.4	(34.7 - 48.1)	120
Grade										
	9th	31.7	(23.7 - 39.7)	406	32.6	(24.6 - 40.6)	211	30.7	(19.7 - 41.7)	195
	10th	40.0	(33.4 - 46.5)	364	42.8	(34.5 - 51.0)	183	37.2	(28.6 - 45.8)	181
	11th	38.3	(31.8 - 44.9)	423	42.0	(35.3 - 48.8)	234	34.6	(25.1 - 44.1)	189
	12th	45.5	(39.7 - 51.3)	294	51.6	(42.0 - 61.3)	137	39.4	(33.4 - 45.4)	157
Race/Etl	hnicity									
	Black	41.0	(32.0 - 50.1)	158	-	-	74	-	-	84
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	38.2	(34.3 - 42.1)	1,137	41.0	(36.8 - 45.2)	591	35.2	(29.2 - 41.3)	546
	All other races	-	-	47	-	-	30	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 33 students who did not provide usable data for QN44.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN45: Percentage of students who tried marijuana for the first time before age 13 years

		Percentage	:	CO	Fotal 95% nfidence nterval	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.6	(6.2	- 10.9)	1,511	10.6	(7.7 - 13.5)	784	6.5	(3.5 - 9.5)	727
Age													
	15 or younger	9.8	(6.2	- 13.4)	431	10.6	(6.9 - 14.3)	211	9.0	(4.3 - 13.8)	220
	16 or 17	8.2	(5.2	- 11.1)	820	10.4	(6.6 - 14.1)	434	5.9	(2.5 - 9.4)	386
	18 or older	7.6	(4.2	- 11.0)	260	11.3	(5.3 - 17.3)	139	3.2	(0.0 - 6.4)	121
Grade													
	9th	12.7	(7.2	- 18.2)	408	14.7	(8.4 - 21.0)	212	10.7	(4.1 - 17.3)	196
	10th	7.4	(4.8	- 9.9)	372	8.2	(4.9 - 11.5)	189	6.5	(2.8 - 10.3)	183
	11th	7.7	(5.1	- 10.3)	424	9.4	(5.6 - 13.3)	235	6.0	(1.9 - 10.0)	189
	12th	5.3	(2.3	- 8.2)	299	9.1	(3.8 - 14.4)	141	1.5	(0.0 - 3.2)	158
Race/Etl	nnicity												
	Black	7.2	(2.8	- 11.5)	159	-		-	75	-	-	84
	Hispanic/ Latino	-			-	74	-		-	38	-	-	36
	White	8.7	(5.8	- 11.6)	1,150	10.3	(6.9 - 13.8)	601	7.1	(3.7 - 10.4)	549
	All other races	-			-	48	-		-	31	-	-	17
	Multiple races	-			-	72	-		-	35	-	-	37

Note: There were 17 students who did not provide usable data for QN45.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN46: Percentage of students who used marijuana one or more times during the past 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	18.9	(16.2 - 21.6)	1,514	21.0	(17.5 - 24.4)	787	16.7	(13.8 - 19.7)	727
Age										
	15 or younger	13.3	(9.2 - 17.4)	432	13.0	(8.2 - 17.8)	212	13.5	(8.6 - 18.5)	220
	16 or 17	20.8	(16.5 - 25.1)	822	22.5	(17.7 - 27.3)	437	19.1	(14.2 - 23.9)	385
	18 or older	22.8	(15.9 - 29.7)	260	29.0	(20.3 - 37.7)	138	15.4	(8.8 - 22.1)	122
Grade										
	9th	16.3	(10.1 - 22.4)	409	16.6	(10.2 - 23.1)	213	15.8	(9.0 - 22.7)	196
	10th	18.9	(15.2 - 22.6)	373	19.8	(14.9 - 24.7)	191	18.0	(12.4 - 23.5)	182
	11th	20.2	(14.7 - 25.8)	424	23.8	(18.1 - 29.5)	235	16.6	(10.0 - 23.3)	189
	12th	21.0	(16.4 - 25.7)	300	25.5	(18.1 - 32.9)	141	16.6	(11.3 - 21.8)	159
Race/Etl	nnicity									
	Black	19.9	(12.6 - 27.2)	160	-	-	76	-	-	84
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	18.8	(15.7 - 21.8)	1,153	20.4	(16.6 - 24.2)	603	17.0	(13.6 - 20.5)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 14 students who did not provide usable data for QN46.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN47: Percentage of students who used marijuana on school property one or more times during the past 30 days

		Percentage		co	Tota 959 onfid inter	% ence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	3.4	(2.3	3 -	4.5)	1,515	5.6	(3.5 - 7.6)	789	1.2	(0.5 - 1.8)	726
Age														
	15 or younger	2.1	(0.7	<i>'</i> -	3.5)	431	3.3	(0.8 - 5.8)	211	0.9	(0.0 - 2.1)	220
	16 or 17	3.6	(2.2	2 -	5.0)	822	5.7	(3.3 - 8.1)	438	1.4	(0.3 - 2.5)	384
	18 or older	5.1	(2.0) -	8.1)	262	8.5	(3.3 - 13.8)	140	0.9	(0.0 - 2.4)	122
Grade														
	9th	3.0	(1.3	3 -	4.7)	407	4.8	(1.7 - 7.9)	211	1.1	(0.0 - 2.4)	196
	10th	3.4	(1.6	<u> </u>	5.3)	374	5.2	(1.9 - 8.6)	193	1.6	(0.0 - 3.4)	181
	11th	3.3	(1.8	3 -	4.9)	424	5.3	(2.9 - 7.7)	235	1.3	(0.0 - 2.7)	189
	12th	3.9	(1.5	· -	6.3)	302	7.1	(2.7 - 11.5)	143	0.6	(0.0 - 1.9)	159
Race/Ethn	nicity													
	Black	6.3	(3.1	_	9.5)	163	-		-	79	-	-	84
	Hispanic/ Latino	-			-		73	-		-	38	-	-	35
	White	2.9	(1.9) _	3.9)	1,152	4.5	(2.7 - 6.3)	603	1.2	(0.5 - 1.9)	549
	All other races	-			-		47	-		-	30	-	-	17
	Multiple races	-			-		72	-		-	35	-	-	37

Note: There were 13 students who did not provide usable data for QN47.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN48: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

		Percentage		con	C otal 95% afiden aterva	ice	N	Percentage		Males 95% confidence interval		N	Percentage	Females 95% confidence interval	N
	Total	6.8	(4.8	- 8	3.9)	1,521	7.8	(5.5 - 10.	.2) 7	91	5.8	(3.4 - 8.2)	730
Age															
	15 or younger	4.3	(1.7	- 6	5.9)	433	3.0	(1.0 - 5.	.1) 2	13	5.6	(1.7 - 9.4)	220
	16 or 17	6.8	(4.6	- 9	0.0)	827	7.9	(5.3 - 10.		40	5.7	(2.6 - 8.7)	387
	18 or older	11.4	(5.4	- 17	7.4)	261	15.2	(7.1 - 23.		38	6.8	(1.4 - 12.2)	123
Grade															
	9th	5.2	(2.3	- 8	3.2)	410	4.8	(1.8 - 7.	.7) 2	14	5.7	(1.7 - 9.8)	196
	10th	7.2	(5.2	- 9	9.2)	377	8.2	(4.0 - 12.		93	6.2	(2.7 - 9.6)	184
	11th	6.6	(2.9	- 10	0.3)	425	7.3	(3.8 - 10.	.8) 2	36	5.9	(1.0 - 10.9)	189
	12th	9.0	(4.1	- 13	3.9)	301	12.6	(5.4 - 19.	.8) 1	41	5.4	(1.2 - 9.6)	160
Race/Eth	nicity														
	Black	2.6	(0.5	- 4	1.8)	164	-		-		79	-	-	85
	Hispanic/ Latino	-			-		74	-		-		38	-	-	36
	White	7.3	(5.1	- 9	9.4)	1,156	7.8	(5.4 - 10.	.1) 6	05	6.7	(3.8 - 9.6)	551
	All other races	-			-		48	-		-		31	-	-	17
	Multiple races	-			-		71	-		-		34	-	-	37

Note: There were 7 students who did not provide usable data for QN48.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days

	Percenta	ge 95% confidence interval		Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.0	(1.9 - 4.	1) 1,519	3.6	(2.1 - 5.2)	789	2.3	(1.1 - 3.5)	730
Age									
15 or you	nger 2.1	(0.5 - 3.	8) 432	1.7	(0.1 - 3.3)	212	2.6	(0.3 - 4.9)	220
16 or 17	2.6	(1.3 - 4.	0) 826	3.3	(1.8 - 4.7)	439	2.0	(0.3 - 3.8)	387
18 or olde	r 5.5	(1.0 - 9.	9) 261	7.8	(1.5 - 14.0)	138	2.7	(0.0 - 5.5)	123
Grade									
9th	2.9	(0.8 - 5.	1) 409	2.5	(0.4 - 4.7)	213	3.3	(0.5 - 6.2)	196
10th	2.9	(1.5 - 4.	4) 376	2.3	(0.1 - 4.6)	192	3.5	(1.0 - 6.1)	184
11th	1.9	(1.0 - 2.	7) 425	3.7	(2.0 - 5.4)	236	0.0	(0.0 - 0.0)	189
12th	4.5	(1.1 - 7.	8) 301	6.9	(1.7 - 12.0)	141	2.0	(0.0 - 4.2)	160
Race/Ethnicity									
Black	2.6	(0.5 - 4.	8) 164	-	-	79	-	-	85
Hispanic/	Latino -	-	74	-	-	38	-	-	36
White	3.1	(1.8 - 4.	3) 1,155	3.3	(1.8 - 4.8)	604	2.8	(1.4 - 4.2)	551
All other	races -	-	48	-	-	31	-	-	17
Multiple	races -	-	70	-	-	33	-	-	37

Note: There were 9 students who did not provide usable data for QN49.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN50: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

		Total				Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.1	(11.4 - 16.7)	1,500	15.4	(12.5 - 18.3)	781	12.7	(9.2 - 16.3)	719
Age										
	15 or younger	16.9	(11.0 - 22.8)	426	16.8	(10.5 - 23.2)	210	17.0	(8.6 - 25.5)	216
	16 or 17	13.3	(10.6 - 15.9)	814	14.8	(11.9 - 17.7)	434	11.7	(8.6 - 14.7)	380
	18 or older	11.5	(5.6 - 17.4)	260	14.7	(6.4 - 23.1)	137	7.7	(1.1 - 14.3)	123
Grade										
	9th	19.1	(12.2 - 26.1)	403	18.8	(11.0 - 26.7)	210	19.4	(9.8 - 29.0)	193
	10th	15.0	(11.8 - 18.1)	368	16.0	(11.4 - 20.6)	189	13.9	(10.5 - 17.3)	179
	11th	10.9	(7.4 - 14.3)	424	13.8	(9.6 - 18.0)	236	7.9	(3.1 - 12.7)	188
	12th	9.9	(5.2 - 14.6)	297	11.9	(4.8 - 19.1)	139	7.9	(2.9 - 12.8)	158
Race/Et	hnicity									
	Black	11.0	(3.4 - 18.6)	159	-	-	76	-	-	83
	Hispanic/ Latino	-	-	73	-	-	37	-	-	36
	White	14.7	(12.0 - 17.5)	1,145	15.9	(12.6 - 19.2)	600	13.5	(9.7 - 17.2)	545
	All other races	-	-	45	-	-	31	-	-	14
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 28 students who did not provide usable data for QN50.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN51: Percentage of students who used heroin one or more times during their life

		Percentage		Tot 95 confid inter	% dence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	2.3	(1.1 -	3.4)	1,526	3.0	(1.6 - 4.4)	796	1.5	(0.3 - 2.7)	730
Age													
	15 or younger	2.6	(0.2 -	5.0)	433	1.9	(0.0 - 3.9)	213	3.3	(0.0 - 6.6)	220
	16 or 17	2.0	(0.7 -	3.3)	830	3.0	(1.2 - 4.8)	443	0.8	(0.0 - 2.0)	387
	18 or older	2.5	(0.4 -	4.7)	263	4.6	(0.7 - 8.6)	140	0.0	(0.0 - 0.0)	123
Grade													
	9th	3.2	(0.3 -	6.0)	410	2.8	(0.3 - 5.2)	214	3.6	(0.0 - 7.4)	196
	10th	2.5	(0.9 -	4.1)	378	3.3	(0.7 - 5.9)	194	1.7	(0.1 - 3.4)	184
	11th	1.4	(0.2 -	2.6)	427	2.7	(0.4 - 5.1)	238	0.0	(0.0 - 0.0)	189
	12th	1.7	(0.0 -	3.5)	303	3.4	(0.0 - 6.8)	143	0.0	(0.0 - 0.0)	160
Race/Ethn	nicity												
	Black	0.8	(0.0 -	2.1)	165	-		-	80	-	-	85
	Hispanic/ Latino	-		-		74	-		-	38	-	-	36
	White	2.3	(1.0 -	3.7)	1,159	3.0	(1.4 - 4.5)	608	1.6	(0.2 - 3.1)	551
	All other races	-		-		48	-		-	31	-	-	17
	Multiple races	-		-		72	-		-	35	-	-	37

Note: There were 2 students who did not provide usable data for QN51.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN52: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total e 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.0	(5.3 - 8.8)	1,524	7.9	(5.2 - 10.6)	794	6.1	(3.8 - 8.3)	730
Age									
15 or young	ger 5.2	(2.0 - 8.4)	433	4.3	(2.1 - 6.6)	213	6.0	(1.1 - 10.9)	220
16 or 17	6.6	(4.4 - 8.8)	828	7.2	(4.4 - 10.0)	441	6.0	(3.0 - 9.1)	387
18 or older	11.3	(6.1 - 16.5)	263	15.3	(6.5 - 24.2)	140	6.4	(0.7 - 12.0)	123
Grade									
9th	5.7	(2.1 - 9.3)	410	5.2	(2.1 - 8.4)	214	6.3	(1.1 - 11.4)	196
10th	6.9	(4.1 - 9.7)	376	7.7	(2.8 - 12.5)	192	6.1	(2.7 - 9.5)	184
11th	7.0	(4.3 - 9.7)	427	7.4	(4.8 - 10.0)	238	6.6	(2.4 - 10.8)	189
12th	9.0	(4.6 - 13.4)	303	12.7	(5.2 - 20.3)	143	5.3	(1.1 - 9.4)	160
Race/Ethnicity									
Black	3.7	(1.1 - 6.2)	165	-	-	80	-	-	85
Hispanic/ L	atino -	-	74	-	-	38	-	-	36
White	7.7	(5.6 - 9.7)	1,158	8.2	(5.4 - 11.1)	607	7.1	(4.3 - 9.8)	551
All other ra	ces -	-	48	-	-	31	-	-	17
Multiple rad	ces -	-	71	-	-	34	-	-	37

Note: There were 4 students who did not provide usable data for QN52.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN53: Percentage of students who used ecstasy one or more times during their life

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	6.4	(4.1 - 8.8)	1,522	7.9	(4.7 - 11.1)	792	4.9	(2.8 - 7.1)	730
Age										
	15 or younger	5.1	(2.5 - 7.8)	432	3.9	(1.5 - 6.4)	212	6.2	(2.6 - 9.9)	220
	16 or 17	6.3	(3.7 - 8.8)	827	7.9	(4.5 - 11.3)	440	4.6	(2.3 - 7.0)	387
	18 or older	9.1	(3.7 - 14.5)	263	13.9	(5.3 - 22.5)	140	3.2	(0.0 - 6.8)	123
Grade										
	9th	6.7	(2.3 - 11.2)	408	6.4	(1.3 - 11.6)	212	7.0	(2.6 - 11.4)	196
	10th	7.0	(4.1 - 9.9)	377	8.2	(3.9 - 12.5)	193	5.7	(2.5 - 9.0)	184
	11th	5.0	(2.3 - 7.7)	426	6.0	(2.2 - 9.7)	237	4.0	(1.2 - 6.9)	189
	12th	7.1	(2.5 - 11.6)	303	11.9	(3.9 - 19.8)	143	2.2	(0.0 - 4.8)	160
Race/Eth	nnicity									
	Black	4.7	(1.6 - 7.8)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	6.7	(4.1 - 9.3)	1,156	8.0	(4.5 - 11.6)	605	5.3	(2.9 - 7.8)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 6 students who did not provide usable data for QN53.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN54: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

		Percentage		95 confidente	% dence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	4.8	(3.2 -	6.4)	1,526	5.3	(3.5 - 7.1)	796	4.3	(2.2 - 6.3)	730
Age													
	15 or younger	5.1	(2.9 -	7.3)	433	3.5	(0.9 - 6.0)	213	6.7	(3.0 - 10.3)	220
	16 or 17	5.3	(3.2 -	7.4)	830	6.4	(4.0 - 8.9)	443	4.1	(1.5 - 6.7)	387
	18 or older	2.7	(0.4 -	5.1)	263	5.0	(1.0 - 9.0)	140	0.0	(0.0 - 0.0)	123
Grade													
	9th	6.6	(2.8 -	10.4)	410	4.3	(0.5 - 8.2)	214	9.0	(4.2 - 13.8)	196
	10th	5.3	(3.0 -	7.5)	378	7.5	(3.3 - 11.7)	194	3.0	(0.5 - 5.5)	184
	11th	4.8	(2.7 -	6.8)	427	5.6	(2.9 - 8.4)	238	3.9	(1.4 - 6.4)	189
	12th	1.9	(0.0 -	3.8)	303	3.7	(0.1 - 7.4)	143	0.0	(0.0 - 0.0)	160
Race/Eth	nnicity												
	Black	2.8	(0.0 -	5.6)	165	-		-	80	-	-	85
	Hispanic/ Latino	-		-		74	-		-	38	-	-	36
	White	5.3	(3.4 -	7.2)	1,159	5.5	(3.4 - 7.6)	608	5.2	(2.8 - 7.5)	551
	All other races	-		-		48	-		-	31	-	-	17
	Multiple races	-		-		72	-		-	35	-	-	37

Note: There were 2 students who did not provide usable data for QN54.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN55: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

		Total		N			Males				Females						
		Percentage				% lence val	N	Percentage		95% confidence interval		N	Percentage		95% confide interv	ence	N
	Total	2.1	(1.1	-	3.0)	1,524	2.5	(1.2 - 3	3.7)	794	1.6	(0.4 -	2.8)	730
Age																	
	15 or younger	2.8	(0.4	-	5.2)	433	1.9	(0.0 - 3	3.8)	213	3.7	(0.3 -	7.1)	220
	16 or 17	1.6	(0.6	-	2.6)	828	2.3	(3.9)	441	0.9	(0.0 -	1.8)	387
	18 or older	2.2	(0.4	-	4.0)	263	4.0	(0.8 - 7	7.2)	140	0.0	(0.0 -	0.0)	123
Grade																	
	9th	3.2	(0.7	-	5.7)	410	2.7	(0.3 - 5	5.1)	214	3.7	(0.1 -	7.4)	196
	10th	1.8	(0.4	-	3.3)	378	1.8	(3.9)	194	1.8	(0.0 -	3.9)	184
	11th	1.8	(0.5	-	3.1)	425	3.1	(0.5 - 5	5.7)	236	0.4	(0.0 -	1.3)	189
	12th	1.2	(0.0	-	2.5)	303	2.3	(0.0 - 4	1.9)	143	0.0	(0.0 -	0.0)	160
Race/Eth	nnicity																
	Black	3.8	(1.0	-	6.5)	165	-		-		80	-		-		85
	Hispanic/ Latino	-			-		74	-		-		38	-		-		36
	White	1.8	(0.8	-	2.8)	1,157	2.0	(1.0 - 3	3.1)	606	1.6	(0.2 -	3.0)	551
	All other races	-			-		48	-		-		31	-		-		17
	Multiple races	-			-		72	-		-		35	-		-		37

Note: There were 4 students who did not provide usable data for QN55.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN56: Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months

		Total		Males				Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	28.9	(26.3 - 31.5)	1,520	33.0	(29.5 - 36.6)	792	24.7	(22.4 - 27.0)	728	
Age											
	15 or younger	26.5	(22.9 - 30.0)	432	27.9	(22.7 - 33.1)	213	25.1	(20.9 - 29.4)	219	
	16 or 17	30.5	(26.3 - 34.8)	825	34.4	(29.1 - 39.8)	439	26.5	(22.0 - 31.0)	386	
	18 or older	28.3	(23.3 - 33.4)	263	37.0	(27.8 - 46.1)	140	17.9	(11.6 - 24.2)	123	
Grade											
	9th	28.3	(23.8 - 32.7)	409	31.2	(26.1 - 36.3)	214	25.1	(19.0 - 31.2)	195	
	10th	32.9	(27.6 - 38.2)	376	35.0	(27.2 - 42.8)	192	30.8	(24.8 - 36.8)	184	
	11th	27.4	(22.3 - 32.5)	424	33.2	(27.2 - 39.3)	236	21.4	(15.1 - 27.7)	188	
	12th	26.9	(21.3 - 32.5)	303	33.3	(24.5 - 42.2)	143	20.4	(14.6 - 26.1)	160	
Race/Et	nnicity										
	Black	31.7	(26.1 - 37.2)	164	-	-	80	-	-	84	
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36	
	White	28.4	(25.5 - 31.3)	1,155	31.9	(28.2 - 35.5)	605	24.7	(21.8 - 27.7)	550	
	All other races	-	-	48	-	-	31	-	-	17	
	Multiple races	-	-	71	-	-	34	-	-	37	

Note: There were 8 students who did not provide usable data for QN56.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN57: Percentage of students who ever had sexual intercourse

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	44.5	(40.8 - 48.3)	1,469	46.0	(41.3 - 50.8)	756	43.0	(37.7 - 48.3)	713
Age										
	15 or younger	29.0	(23.8 - 34.2)	410	27.3	(20.7 - 33.8)	196	30.6	(23.7 - 37.5)	214
	16 or 17	46.8	(41.7 - 51.9)	802	48.8	(44.1 - 53.6)	423	44.7	(37.2 - 52.2)	379
	18 or older	63.6	(57.0 - 70.3)	257	65.1	(55.5 - 74.7)	137	61.8	(55.6 - 68.0)	120
Grade										
	9th	32.2	(25.3 - 39.2)	384	33.7	(25.5 - 41.9)	197	30.7	(22.4 - 39.0)	187
	10th	39.4	(32.8 - 46.0)	368	40.0	(33.5 - 46.5)	185	38.7	(29.2 - 48.3)	183
	11th	51.1	(43.1 - 59.1)	412	51.9	(43.1 - 60.8)	227	50.3	(39.8 - 60.8)	185
	12th	59.6	(52.5 - 66.6)	297	62.9	(52.1 - 73.7)	140	56.2	(48.9 - 63.5)	157
Race/Etl	nnicity									
	Black	58.9	(48.6 - 69.1)	155	-	-	76	-	-	79
	Hispanic/ Latino	-	-	70	-	-	35	-	-	35
	White	42.3	(38.1 - 46.5)	1,124	42.4	(37.1 - 47.6)	581	42.2	(36.5 - 47.9)	543
	All other races	-	-	45	-	-	29	-	-	16
	Multiple races	-	-	68	-	-	32	-	-	36

Note: There were 59 students who did not provide usable data for QN57.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with one or more people during the past three months

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	34.6	(31.5 - 37.8)	1,472	35.0	(31.3 - 38.7)	758	34.2	(29.8 - 38.6)	714
Age										
	15 or younger	21.1	(16.0 - 26.2)	412	19.6	(13.1 - 26.0)	197	22.5	(16.2 - 28.8)	215
	16 or 17	37.5	(32.7 - 42.3)	802	38.4	(33.2 - 43.6)	423	36.6	(30.8 - 42.4)	379
	18 or older	48.7	(42.1 - 55.2)	258	47.8	(39.5 - 56.1)	138	49.7	(40.9 - 58.5)	120
Grade										
	9th	24.0	(16.9 - 31.0)	386	25.2	(17.3 - 33.1)	198	22.7	(14.5 - 30.8)	188
	10th	30.9	(25.0 - 36.9)	368	32.1	(25.0 - 39.2)	185	29.7	(21.6 - 37.8)	183
	11th	40.7	(33.3 - 48.0)	413	39.3	(31.9 - 46.6)	228	42.1	(32.3 - 51.8)	185
	12th	46.3	(39.6 - 53.1)	297	46.6	(36.6 - 56.6)	140	46.0	(38.5 - 53.6)	157
Race/Etl	nnicity									
	Black	45.1	(37.7 - 52.5)	155	-	-	76	-	-	79
	Hispanic/ Latino	-	-	70	-	-	35	-	-	35
	White	33.2	(29.4 - 36.9)	1,127	32.5	(28.2 - 36.8)	583	33.9	(28.9 - 38.8)	544
	All other races	-	-	45	-	-	29	-	-	16
	Multiple races	-	-	68	-	-	32	-	-	36

Note: There were 56 students who did not provide usable data for QN60.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN62: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

		Total				Males			Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
	Total	62.6	(57.3 - 68.0)	513	62.6	(56.0 - 69.2)	268	62.6	(56.1 - 69.2)	245		
Age												
	15 or younger	-	-	86	-	-	39	_	-	47		
	16 or 17	60.3	(53.3 - 67.2)	303	61.6	(53.3 - 69.8)	164	58.9	(49.7 - 68.2)	139		
	18 or older	64.5	(54.4 - 74.6)	124	-	-	65	-	-	59		
Grade												
	9th	-	-	88	-	-	48	-	-	40		
	10th	68.3	(59.2 - 77.4)	121	-	-	62	-	-	59		
	11th	57.2	(50.6 - 63.7)	165	-	-	92	-	-	73		
	12th	63.4	(53.7 - 73.1)	137	-	-	64	-	-	73		
Race/Et	hnicity											
	Black	-	-	73	-	-	43	-	-	30		
	Hispanic/ Latino	-	-	23	-	-	10	-	-	13		
	White	61.8	(55.1 - 68.5)	373	61.8	(53.4 - 70.2)	188	61.7	(54.1 - 69.4)	185		
	All other races	-	-	15	-	-	8	-	-	7		
	Multiple races	-	-	24	-	-	17	-	-	7		

Note: There were 1015 students who were excluded from this analysis or who did not provide usable data for QN62.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*

		Total		Males				Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	14.3	(13.0 - 15.6)	1,492	13.6	(11.7 - 15.6)	785	14.9	(13.0 - 16.9)	707	
Age											
	15 or younger	15.9	(12.7 - 19.0)	419	15.0	(9.8 - 20.2)	209	16.7	(12.3 - 21.2)	210	
	16 or 17	13.9	(11.8 - 16.0)	814	13.0	(10.4 - 15.6)	440	14.9	(11.7 - 18.0)	374	
	18 or older	12.6	(9.0 - 16.2)	259	13.4	(8.7 - 18.0)	136	11.7	(7.1 - 16.4)	123	
Grade											
	9th	14.8	(11.5 - 18.2)	394	14.3	(9.9 - 18.7)	209	15.5	(10.1 - 20.9)	185	
	10th	14.0	(11.1 - 17.0)	372	13.2	(9.3 - 17.1)	193	14.9	(9.9 - 19.9)	179	
	11th	14.9	(12.3 - 17.6)	420	13.8	(10.7 - 16.8)	237	16.1	(12.0 - 20.3)	183	
	12th	13.2	(10.1 - 16.2)	299	13.2	(8.6 - 17.8)	140	13.1	(9.3 - 16.9)	159	
Race/Et	hnicity										
	Black	18.3	(14.1 - 22.4)	162	-	-	79	-	-	83	
	Hispanic/ Latino	-	-	69	-	-	36	-	-	33	
	White	13.9	(12.6 - 15.2)	1,136	12.8	(10.5 - 15.1)	601	15.0	(12.7 - 17.4)	535	
	All other races	-	-	46	-	-	30	-	-	16	
	Multiple races	-	-	71	-	-	35	-	-	36	

Note: There were 36 students who did not provide usable data for QNROVWGT.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

^{*}Based on reference data from the National Health and Nutrition Examination Survey I.

Indiana High School Survey Summary Table - Weighted Data

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*

		Total				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.0	(12.5 - 17.4)	1,492	20.5	(16.9 - 24.0)	785	9.2	(6.9 - 11.5)	707
Age										
	15 or younger	17.1	(13.4 - 20.8)	419	24.1	(18.4 - 29.7)	209	10.4	(6.4 - 14.4)	210
	16 or 17	14.0	(11.1 - 16.8)	814	19.7	(15.3 - 24.1)	440	7.7	(5.0 - 10.4)	374
	18 or older	14.5	(8.3 - 20.8)	259	17.1	(9.7 - 24.5)	136	11.5	(4.7 - 18.2)	123
Grade										
	9th	17.5	(13.6 - 21.5)	394	22.6	(16.1 - 29.0)	209	12.0	(8.0 - 16.1)	185
	10th	14.3	(10.3 - 18.2)	372	19.4	(12.9 - 25.8)	193	8.8	(5.5 - 12.2)	179
	11th	14.3	(9.0 - 19.5)	420	20.1	(13.4 - 26.7)	237	8.2	(3.7 - 12.6)	183
	12th	13.5	(6.5 - 20.6)	299	19.9	(10.1 - 29.8)	140	7.2	(0.8 - 13.6)	159
Race/Et	hnicity									
	Black	22.5	(17.4 - 27.6)	162	-	-	79	-	-	83
	Hispanic/ Latino	-	-	69	-	-	36	-	-	33
	White	14.4	(11.8 - 17.0)	1,136	20.5	(16.8 - 24.2)	601	7.8	(5.4 - 10.2)	535
	All other races	-	-	46	-	-	30	-	-	16
	Multiple races	-	-	71	-	-	35	-	-	36

Note: There were 36 students who did not provide usable data for QNOVWGT.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

^{*}Based on reference data from the National Health and Nutrition Examination Survey I.

Indiana High School Survey Summary Table - Weighted Data

QN64: Percentage of students who described themselves as slightly or very overweight

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	31.9	(28.8 - 35.0)	1,524	26.9	(23.3 - 30.4)	795	37.2	(33.4 - 41.0)	729
Age										
	15 or younger	33.3	(28.3 - 38.3)	434	31.4	(24.4 - 38.4)	213	35.0	(28.2 - 41.9)	221
	16 or 17	30.7	(26.9 - 34.4)	827	25.2	(20.9 - 29.5)	442	36.4	(30.8 - 41.9)	385
	18 or older	33.3	(25.1 - 41.5)	263	24.5	(14.9 - 34.2)	140	43.9	(35.0 - 52.9)	123
Grade										
	9th	31.2	(25.9 - 36.6)	411	27.9	(20.5 - 35.2)	214	34.8	(27.7 - 41.9)	197
	10th	31.8	(25.3 - 38.2)	377	26.6	(19.7 - 33.5)	194	37.2	(28.0 - 46.4)	183
	11th	31.8	(27.2 - 36.4)	425	27.5	(21.2 - 33.7)	237	36.3	(29.6 - 42.9)	188
	12th	33.2	(24.7 - 41.6)	303	24.9	(15.3 - 34.4)	143	41.6	(32.2 - 50.9)	160
Race/Eth	nnicity									
	Black	31.7	(20.3 - 43.2)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	32.2	(28.5 - 35.9)	1,157	27.3	(23.5 - 31.1)	607	37.4	(33.1 - 41.8)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 4 students who did not provide usable data for QN64.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN65: Percentage of students who were trying to lose weight

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
					20.5		=0.4			
	Total	46.5	(43.5 - 49.5)	1,523	30.5	(27.5 - 33.5)	794	63.1	(59.7 - 66.4)	729
Age										
	15 or younger	46.5	(42.3 - 50.7)	432	32.7	(27.7 - 37.7)	212	59.4	(52.7 - 66.1)	220
	16 or 17	45.8	(42.0 - 49.6)	828	28.8	(24.6 - 32.9)	442	63.7	(59.5 - 67.9)	386
	18 or older	48.5	(41.9 - 55.2)	263	32.3	(24.3 - 40.3)	140	68.2	(61.2 - 75.2)	123
Grade										
	9th	44.1	(40.6 - 47.6)	409	30.9	(26.3 - 35.4)	213	58.0	(51.1 - 64.9)	196
	10th	47.6	(42.0 - 53.1)	377	29.0	(22.4 - 35.6)	193	66.8	(62.0 - 71.5)	184
	11th	46.3	(41.3 - 51.2)	426	30.7	(24.2 - 37.2)	238	62.3	(55.6 - 69.0)	188
	12th	48.7	(41.7 - 55.8)	303	31.8	(23.5 - 40.0)	143	65.9	(58.0 - 73.8)	160
Race/Eth	nicity									
	Black	49.6	(43.3 - 56.0)	164	-	-	80	-	-	84
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	46.4	(43.3 - 49.6)	1,157	30.7	(27.3 - 34.1)	606	63.1	(59.5 - 66.6)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 5 students who did not provide usable data for QN65.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN66: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	62.3	(59.4 - 65.2)	1,510	51.6	(48.1 - 55.1)	784	73.3	(70.2 - 76.4)	726
Age										
	15 or younger	65.8	(61.6 - 70.0)	432	56.9	(49.8 - 64.0)	211	74.1	(66.8 - 81.3)	221
	16 or 17	60.9	(57.7 - 64.1)	817	49.6	(45.5 - 53.6)	434	72.6	(69.3 - 75.9)	383
	18 or older	60.5	(52.3 - 68.6)	261	49.1	(40.0 - 58.3)	139	74.2	(63.6 - 84.9)	122
Grade										
	9th	63.1	(57.9 - 68.3)	409	54.9	(47.0 - 62.8)	212	71.6	(63.5 - 79.7)	197
	10th	63.5	(58.9 - 68.1)	370	51.5	(44.4 - 58.5)	189	75.8	(69.3 - 82.4)	181
	11th	59.6	(55.2 - 63.9)	422	48.4	(40.0 - 56.8)	234	70.9	(65.8 - 76.1)	188
	12th	62.9	(56.2 - 69.7)	301	50.9	(40.6 - 61.1)	142	75.1	(67.7 - 82.6)	159
Race/Eth	nnicity									
	Black	57.3	(51.7 - 62.9)	162	-	-	78	-	-	84
	Hispanic/ Latino	-	<u>-</u>	73	-	-	38	-	-	35
	White	63.2	(60.0 - 66.4)	1,147	52.1	(48.2 - 56.1)	598	74.7	(71.5 - 78.0)	549
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 18 students who did not provide usable data for QN66.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN67: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

		Total			Males			Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	41.8	(38.1 - 45.5)	1,523	27.0	(22.6 - 31.4)	794	57.2	(53.1 - 61.3)	729	
Age											
	15 or younger	37.1	(32.3 - 42.0)	432	25.5	(20.3 - 30.7)	212	47.9	(40.5 - 55.3)	220	
	16 or 17	43.8	(39.3 - 48.4)	828	28.3	(22.8 - 33.8)	442	60.1	(53.9 - 66.2)	386	
	18 or older	44.0	(37.8 - 50.1)	263	25.7	(17.4 - 34.0)	140	66.1	(57.1 - 75.0)	123	
Grade											
	9th	34.0	(29.3 - 38.7)	409	23.6	(17.9 - 29.4)	213	45.0	(38.5 - 51.4)	196	
	10th	42.9	(37.1 - 48.7)	378	27.2	(20.0 - 34.4)	194	59.2	(50.5 - 67.9)	184	
	11th	44.8	(39.8 - 49.8)	425	31.2	(24.3 - 38.1)	237	58.8	(51.6 - 65.9)	188	
	12th	47.5	(41.1 - 53.9)	303	26.3	(16.1 - 36.5)	143	69.0	(60.3 - 77.6)	160	
Race/Et	hnicity										
	Black	39.9	(35.4 - 44.5)	165	-	-	80	_	-	85	
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36	
	White	42.0	(38.1 - 46.0)	1,156	26.2	(21.4 - 31.0)	606	58.8	(54.2 - 63.3)	550	
	All other races	-	-	48	-	-	31	-	-	17	
	Multiple races	-	-	72	-	-	35	-	-	37	

Note: There were 5 students who did not provide usable data for QN67.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days

			Total		Males			Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	12.4	(10.5 - 14.2)	1,522	7.1	(5.4 - 8.9)	794	17.8	(14.9 - 20.7)	728	
Age											
	15 or younger	12.6	(9.6 - 15.6)	432	3.9	(1.4 - 6.5)	211	20.5	(15.4 - 25.7)	221	
	16 or 17	12.4	(9.6 - 15.3)	827	8.3	(5.5 - 11.1)	443	16.7	(12.3 - 21.1)	384	
	18 or older	11.8	(8.1 - 15.5)	263	8.5	(4.6 - 12.4)	140	15.8	(9.9 - 21.8)	123	
Grade											
	9th	14.7	(11.2 - 18.1)	409	6.0	(3.2 - 8.8)	212	23.7	(17.7 - 29.6)	197	
	10th	12.6	(9.6 - 15.5)	376	7.0	(3.6 - 10.4)	194	18.3	(13.9 - 22.8)	182	
	11th	12.1	(8.2 - 16.0)	426	10.2	(6.4 - 14.0)	238	14.0	(8.1 - 19.9)	188	
	12th	9.5	(6.2 - 12.8)	303	5.4	(1.8 - 8.9)	143	13.6	(8.3 - 19.0)	160	
Race/E	thnicity										
	Black	13.9	(9.3 - 18.5)	164	-	-	79	-	-	85	
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35	
	White	12.0	(9.9 - 14.1)	1,158	6.4	(4.5 - 8.2)	607	18.0	(14.5 - 21.4)	551	
	All other races	-	-	48	-	-	31	-	-	17	
	Multiple races	-	-	71	-	-	35	-	-	36	

Note: There were 6 students who did not provide usable data for QN68.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN69: Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.8	(5.2 - 8.3)	1,522	4.2	(2.8 - 5.7)	795	9.4	(7.0 - 11.8)	727
Age										
	15 or younger	6.6	(3.7 - 9.4)	432	3.4	(0.6 - 6.2)	212	9.5	(5.3 - 13.7)	220
	16 or 17	7.2	(5.3 - 9.1)	827	5.5	(3.5 - 7.4)	443	9.0	(6.1 - 12.0)	384
	18 or older	5.7	(2.6 - 8.8)	263	2.1	(0.0 - 4.4)	140	10.1	(3.9 - 16.4)	123
Grade										
	9th	6.6	(4.0 - 9.1)	409	3.7	(0.8 - 6.5)	213	9.7	(5.7 - 13.6)	196
	10th	8.0	(5.3 - 10.7)	376	5.4	(2.5 - 8.3)	194	10.7	(6.7 - 14.7)	182
	11th	6.8	(3.6 - 10.0)	426	5.1	(2.3 - 8.0)	238	8.4	(3.5 - 13.4)	188
	12th	5.5	(3.2 - 7.9)	303	2.7	(0.3 - 5.1)	143	8.4	(3.7 - 13.1)	160
Race/Eth	nnicity									
	Black	8.4	(4.4 - 12.4)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	6.2	(4.7 - 7.8)	1,157	3.6	(2.2 - 5.0)	607	9.0	(6.4 - 11.7)	550
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	35	-	-	36

Note: There were 6 students who did not provide usable data for QN69.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.5	(4.1 - 6.8)	1,520	3.7	(2.2 - 5.2)	791	7.3	(5.3 - 9.3)	729
Age									
15 or younger	6.3	(3.5 - 9.2)	431	3.1 ((0.4 - 5.8)	211	9.3	(5.3 - 13.2)	220
16 or 17	5.4	(3.9 - 7.0)	829	4.2	(2.3 - 6.1)	443	6.7	(4.9 - 8.6)	386
18 or older	4.2	(1.4 - 6.9)	260	3.5	(0.6 - 6.4)	137	4.9	(0.6 - 9.3)	123
Grade									
9th	5.9	(3.2 - 8.6)	408	4.4 ((1.2 - 7.6)	212	7.5	(3.5 - 11.6)	196
10th	6.0	(3.4 - 8.6)	378		(1.1 - 6.3)	194	8.4	(4.1 - 12.8)	184
11th	5.0	(2.8 - 7.1)	426	2.7 ((1.3 - 4.1)	238	7.3	(3.3 - 11.3)	188
12th	4.8	(2.5 - 7.1)	300	4.2	(1.1 - 7.2)	140	5.4	(1.9 - 8.9)	160
Race/Ethnicity									
Black	5.1	(3.1 - 7.1)	165	-	-	80	-	-	85
Hispanic/ Latino	-	-	74	-	-	38	-	-	36
White	5.5	(3.9 - 7.1)	1,155	3.4 ((1.5 - 5.2)	604	7.8	(5.5 - 10.1)	551
All other races	-	-	47	-	-	31	-	-	16
Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 8 students who did not provide usable data for QN70.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	78.3	(76.0 - 80.6)	1,520	79.5	(77.2 - 81.7)	793	77.1	(73.2 - 81.0)	727
Age										
	15 or younger	78.4	(74.9 - 81.9)	430	79.1	(73.5 - 84.7)	211	77.7	(71.3 - 84.1)	219
	16 or 17	77.9	(74.7 - 81.1)	828	79.2	(75.9 - 82.5)	442	76.5	(71.0 - 82.0)	386
	18 or older	79.4	(75.8 - 83.0)	262	80.7	(75.4 - 86.1)	140	77.8	(72.2 - 83.3)	122
Grade										
	9th	76.7	(72.6 - 80.8)	408	76.8	(70.6 - 83.0)	212	76.6	(70.6 - 82.6)	196
	10th	78.6	(74.6 - 82.5)	377	78.8	(73.7 - 83.8)	194	78.3	(72.6 - 84.1)	183
	11th	81.1	(77.5 - 84.6)	425	83.4	(78.7 - 88.1)	237	78.7	(71.4 - 85.9)	188
	12th	77.0	(73.5 - 80.5)	302	79.5	(75.1 - 83.9)	143	74.4	(68.4 - 80.3)	159
Race/Etl	nnicity									
	Black	82.7	(77.1 - 88.2)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	73	-	-	37	-	-	36
	White	77.3	(74.7 - 80.0)	1,155	78.0	(75.6 - 80.3)	606	76.6	(72.1 - 81.1)	549
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 8 students who did not provide usable data for QN71.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN72: Percentage of students who ate fruit one or more times during the past seven days

		Total		Males			Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	84.3	(81.7 - 87.0)	1,517	83.0	(79.4 - 86.5)	790	85.7	(82.4 - 89.1)	727
Age										
	15 or younger	83.8	(79.4 - 88.1)	431	81.0	(75.4 - 86.6)	211	86.4	(80.2 - 92.5)	220
	16 or 17	84.2	(81.3 - 87.1)	825	82.6	(78.9 - 86.3)	440	85.8	(82.3 - 89.4)	385
	18 or older	85.7	(80.8 - 90.6)	261	86.9	(81.8 - 92.1)	139	84.2	(76.7 - 91.6)	122
Grade										
	9th	82.5	(77.4 - 87.7)	408	80.7	(74.4 - 86.9)	212	84.5	(77.2 - 91.8)	196
	10th	85.3	(81.8 - 88.8)	377	83.0	(77.9 - 88.1)	193	87.7	(83.1 - 92.3)	184
	11th	85.2	(81.4 - 89.0)	423	85.9	(80.9 - 90.9)	236	84.5	(78.9 - 90.1)	187
	12th	84.9	(79.6 - 90.1)	301	83.4	(77.1 - 89.8)	142	86.3	(79.9 - 92.7)	159
Race/Et	hnicity									
	Black	72.5	(64.6 - 80.3)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	73	-	-	37	-	-	36
	White	85.7	(83.3 - 88.1)	1,153	83.1	(79.1 - 87.2)	604	88.4	(85.1 - 91.7)	549
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	70	-	-	34	-	-	36

Note: There were 11 students who did not provide usable data for QN72.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN73: Percentage of students who ate green salad one or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	65.3	(62.8 - 67.8)	1,522	63.4	(60.3 - 66.4)	792	67.3	(64.2 - 70.4)	730
Age										
	15 or younger	62.0	(56.7 - 67.2)	432	59.9	(52.8 - 67.0)	211	63.8	(58.3 - 69.4)	221
	16 or 17	66.8	(63.4 - 70.2)	828	65.7	(61.0 - 70.4)	442	68.0	(63.2 - 72.7)	386
	18 or older	66.6	(61.6 - 71.6)	262	62.2	(54.8 - 69.6)	139	71.9	(64.4 - 79.5)	123
Grade										
	9th	61.0	(56.1 - 66.0)	409	59.4	(52.2 - 66.6)	212	62.7	(56.7 - 68.7)	197
	10th	66.7	(62.6 - 70.8)	378	63.8	(57.5 - 70.1)	194	69.7	(65.5 - 73.9)	184
	11th	66.4	(63.0 - 69.7)	425	65.7	(58.7 - 72.7)	237	67.1	(60.0 - 74.2)	188
	12th	67.8	(63.9 - 71.6)	302	65.0	(59.9 - 70.1)	142	70.6	(64.6 - 76.5)	160
Race/Eth	nnicity									
	Black	51.5	(45.1 - 57.9)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	67.0	(64.3 - 69.7)	1,156	64.5	(61.1 - 68.0)	605	69.5	(66.0 - 73.0)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	34	-	-	37

Note: There were 6 students who did not provide usable data for QN73.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN74: Percentage of students who ate potatoes one or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	72.0	(69.1 - 75.0)	1,519	73.2	(69.2 - 77.3)	792	70.8	(67.6 - 73.9)	727
Age										
	15 or younger	72.6	(67.6 - 77.7)	433	76.1	(68.9 - 83.2)	212	69.5	(63.4 - 75.5)	221
	16 or 17	70.2	(66.3 - 74.1)	824	69.6	(64.7 - 74.5)	441	70.8	(66.1 - 75.4)	383
	18 or older	76.5	(70.2 - 82.8)	262	79.2	(72.3 - 86.1)	139	73.3	(65.2 - 81.4)	123
Grade										
	9th	73.7	(68.9 - 78.5)	407	76.2	(68.3 - 84.2)	212	71.1	(66.2 - 76.0)	195
	10th	70.4	(63.7 - 77.0)	378	72.6	(65.4 - 79.8)	194	68.0	(60.0 - 76.1)	184
	11th	70.1	(65.4 - 74.7)	424	67.6	(59.9 - 75.3)	237	72.6	(68.2 - 77.0)	187
	12th	74.2	(68.8 - 79.5)	302	76.9	(70.2 - 83.6)	142	71.4	(65.4 - 77.5)	160
Race/Et	nnicity									
	Black	61.8	(54.5 - 69.2)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	73.7	(70.7 - 76.8)	1,152	75.2	(70.9 - 79.5)	604	72.2	(68.3 - 76.2)	548
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 9 students who did not provide usable data for QN74.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN75: Percentage of students who ate carrots one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
		intervar			mervar			mici vai	
Total	48.2	(45.5 - 50.9)	1,514	48.1	(44.0 - 52.2)	788	48.3	(44.7 - 51.9)	726
Age									
15 or younger	48.0	(43.0 - 52.9)	430	52.9	(46.7 - 59.0)	211	43.4	(36.5 - 50.3)	219
16 or 17	47.3	(43.8 - 50.8)	822	44.0	(39.1 - 48.9)	438	50.7	(46.7 - 54.8)	384
18 or older	51.3	(46.0 - 56.7)	262	52.3	(43.2 - 61.4)	139	50.1	(40.9 - 59.4)	123
Grade									
9th	47.3	(43.2 - 51.3)	406	52.6	(47.9 - 57.3)	212	41.6	(35.5 - 47.7)	194
10th	49.7	(44.6 - 54.8)	375	43.6	(36.7 - 50.4)	191	56.0	(50.2 - 61.8)	184
11th	46.4	(41.8 - 51.1)	423	47.7	(41.3 - 54.2)	236	45.1	(39.3 - 50.9)	187
12th	49.8	(42.7 - 56.9)	302	48.7	(38.0 - 59.3)	142	51.0	(44.4 - 57.5)	160
Race/Ethnicity									
Black	32.5	(25.5 - 39.5)	164	-	-	80	-	-	84
Hispanic/ Latino	-	-	74	-	-	38	-	-	36
White	50.0	(47.6 - 52.5)	1,148	49.3	(44.8 - 53.7)	600	50.8	(46.6 - 55.0)	548
All other races	-	-	48	-	-	31	-	-	17
Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 14 students who did not provide usable data for QN75.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN76: Percentage of students who ate other vegetables one or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	82.3	(79.7 - 84.9)	1,520	80.8	(77.6 - 84.0)	793	83.9	(80.9 - 87.0)	727
Age										
	15 or younger	81.1	(77.7 - 84.6)	432	80.1	(74.7 - 85.6)	212	82.0	(77.9 - 86.1)	220
	16 or 17	82.6	(79.4 - 85.7)	825	80.6	(76.1 - 85.1)	441	84.6	(80.3 - 89.0)	384
	18 or older	83.6	(78.7 - 88.6)	263	82.2	(76.1 - 88.3)	140	85.4	(78.9 - 91.9)	123
Grade										
	9th	80.7	(76.5 - 84.9)	407	80.7	(74.6 - 86.9)	212	80.6	(76.4 - 84.7)	195
	10th	84.5	(80.2 - 88.8)	376	81.0	(75.7 - 86.3)	193	88.2	(83.6 - 92.8)	183
	11th	79.9	(76.5 - 83.4)	426	80.5	(75.5 - 85.5)	238	79.4	(74.1 - 84.7)	188
	12th	84.7	(79.3 - 90.0)	303	81.1	(74.2 - 88.1)	143	88.3	(81.6 - 94.9)	160
Race/Eth	nnicity									
	Black	65.7	(61.2 - 70.2)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	84.3	(82.1 - 86.5)	1,153	81.3	(77.9 - 84.8)	605	87.5	(85.0 - 90.0)	548
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 8 students who did not provide usable data for QN76.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNFRVG: Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.5	(13.6 - 17.3)	1,496	17.7	(14.8 - 20.5)	778	13.2	(10.3 - 16.1)	718
Age										
	15 or younger	18.3	(15.3 - 21.4)	425	20.6	(16.1 - 25.1)	210	16.2	(11.8 - 20.6)	215
	16 or 17	14.2	(11.9 - 16.6)	812	16.2	(12.1 - 20.3)	431	12.2	(8.8 - 15.6)	381
	18 or older	14.1	(10.5 - 17.7)	259	17.3	(12.6 - 22.1)	137	10.2	(3.8 - 16.6)	122
Grade										
	9th	18.1	(14.9 - 21.3)	399	20.1	(15.3 - 24.9)	209	16.0	(10.7 - 21.3)	190
	10th	15.6	(12.0 - 19.3)	372	18.0	(12.4 - 23.7)	190	13.1	(9.0 - 17.3)	182
	11th	14.0	(11.1 - 16.9)	418	15.5	(10.8 - 20.2)	232	12.5	(7.3 - 17.8)	186
	12th	12.8	(9.4 - 16.3)	299	16.0	(12.0 - 20.0)	140	9.7	(4.4 - 15.0)	159
Race/Etl	nnicity									
	Black	20.0	(13.6 - 26.4)	164	-	-	80	-	-	84
	Hispanic/ Latino	-	-	73	-	-	37	-	-	36
	White	14.3	(12.5 - 16.2)	1,134	16.3	(13.1 - 19.6)	592	12.2	(9.4 - 15.1)	542
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	70	-	-	34	-	-	36

Note: There were 32 students who did not provide usable data for QNFRVG.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN77: Percentage of students who drank three or more glasses per day of milk during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	16.2	(14.3 - 18.0)	1,515	21.5	(18.9 - 24.1)	791	10.6	(8.5 - 12.6)	724
Age										
	15 or younger	19.6	(15.5 - 23.8)	429	26.5	(20.6 - 32.4)	211	13.2	(9.3 - 17.1)	218
	16 or 17	16.4	(13.9 - 18.9)	826	21.8	(18.1 - 25.6)	441	10.8	(7.3 - 14.2)	385
	18 or older	9.3	(5.4 - 13.3)	260	13.1	(7.1 - 19.2)	139	4.7	(1.5 - 8.0)	121
Grade										
	9th	21.1	(16.6 - 25.5)	405	26.4	(20.0 - 32.7)	212	15.4	(11.4 - 19.5)	193
	10th	17.4	(12.7 - 22.0)	377	22.4	(15.4 - 29.5)	193	12.1	(6.5 - 17.7)	184
	11th	14.4	(10.9 - 17.9)	425	20.7	(17.1 - 24.3)	237	8.0	(3.6 - 12.4)	188
	12th	9.9	(6.8 - 13.1)	300	14.6	(9.4 - 19.7)	142	5.2	(2.1 - 8.4)	158
Race/Eth	nnicity									
	Black	8.2	(3.3 - 13.1)	165	-	-	80	-	-	85
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	17.3	(15.3 - 19.3)	1,152	22.6	(20.0 - 25.1)	606	11.7	(9.1 - 14.4)	546
	All other races	-	-	46	-	-	30	-	-	16
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 13 students who did not provide usable data for QN77.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN78: Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tot	al	60.2	(56.5 - 63.9)	1,512	65.7	(60.9 - 70.5)	786	54.6	(50.1 - 59.1)	726
Age										
15	or younger	68.5	(62.2 - 74.7)	430	75.2	(68.7 - 81.7)	211	62.2	(54.0 - 70.4)	219
16	or 17	59.2	(54.6 - 63.7)	821	65.7	(59.6 - 71.9)	436	52.3	(45.2 - 59.4)	385
18	or older	49.2	(41.9 - 56.5)	261	50.9	(39.7 - 62.2)	139	47.0	(37.1 - 56.9)	122
Grade										
9th	ı	69.4	(63.4 - 75.5)	407	76.5	(70.6 - 82.4)	212	62.0	(52.8 - 71.3)	195
10t	h	56.9	(51.9 - 61.9)	374	61.1	(54.0 - 68.2)	192	52.5	(45.0 - 59.9)	182
11t	h	57.4	(51.3 - 63.5)	422	64.2	(57.0 - 71.3)	233	50.7	(41.4 - 59.9)	189
12ti	h	54.4	(47.7 - 61.1)	302	57.3	(46.4 - 68.2)	143	51.5	(42.4 - 60.6)	159
Race/Ethnicit	y									
Bla	ck	60.5	(52.4 - 68.6)	161	-	-	78	-	-	83
His	panic/ Latino	-	-	74	-	-	38	-	-	36
Wh	ite	60.0	(55.7 - 64.4)	1,152	65.4	(59.8 - 71.0)	603	54.4	(48.8 - 59.9)	549
All	other races	-	-	47	-	-	30	-	-	17
Mu	ltiple races	-	-	70	-	-	33	-	-	37

Note: There were 16 students who did not provide usable data for QN78.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN79: Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	22.7	(20.2 - 25.1)	1,520	23.6	(19.9 - 27.2)	791	21.8	(18.6 - 24.9)	729
Age										
	15 or younger	22.4	(18.4 - 26.3)	432	24.5	(19.4 - 29.6)	211	20.4	(15.6 - 25.1)	221
	16 or 17	22.0	(18.8 - 25.2)	826	22.6	(17.8 - 27.4)	441	21.4	(16.8 - 26.1)	385
	18 or older	25.0	(19.7 - 30.4)	262	24.7	(16.7 - 32.6)	139	25.5	(19.1 - 31.9)	123
Grade										
	9th	21.5	(17.9 - 25.1)	409	24.3	(19.7 - 29.0)	212	18.5	(14.7 - 22.4)	197
	10th	23.0	(18.5 - 27.5)	375	20.1	(13.8 - 26.5)	193	25.9	(17.6 - 34.2)	182
	11th	20.7	(16.2 - 25.1)	427	23.5	(16.8 - 30.1)	238	17.8	(12.1 - 23.5)	189
	12th	26.3	(20.4 - 32.3)	301	27.1	(18.2 - 36.0)	141	25.6	(19.7 - 31.4)	160
Race/Et	nnicity									
	Black	24.0	(17.3 - 30.7)	163	-	-	79	-	-	84
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	22.7	(20.2 - 25.3)	1,155	23.9	(20.2 - 27.6)	604	21.5	(17.8 - 25.3)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 8 students who did not provide usable data for QN79.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNMINPA: Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	34.1	(30.7 - 37.5)	1,506	29.1	(24.2 - 34.0)	782	39.2	(35.5 - 43.0)	724
Age										
	15 or younger	27.2	(21.3 - 33.1)	429	20.3	(14.4 - 26.2)	210	33.6	(25.9 - 41.4)	219
	16 or 17	35.3	(31.0 - 39.5)	817	29.6	(23.2 - 35.9)	434	41.2	(34.6 - 47.8)	383
	18 or older	42.5	(34.8 - 50.2)	260	41.2	(30.3 - 52.1)	138	44.1	(33.5 - 54.6)	122
Grade										
	9th	26.4	(20.3 - 32.5)	406	18.9	(13.4 - 24.5)	211	34.2	(25.6 - 42.9)	195
	10th	36.3	(31.9 - 40.8)	371	33.3	(26.3 - 40.2)	191	39.6	(32.4 - 46.7)	180
	11th	38.0	(31.8 - 44.1)	422	31.1	(23.7 - 38.4)	233	44.9	(35.8 - 54.1)	189
	12th	37.8	(31.9 - 43.8)	300	36.4	(26.4 - 46.4)	141	39.3	(31.1 - 47.5)	159
Race/Et	hnicity									
	Black	35.3	(28.3 - 42.3)	159	-	-	77	-	-	82
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	34.0	(30.1 - 38.0)	1,148	29.2	(23.6 - 34.9)	600	39.1	(34.3 - 43.9)	548
	All other races	-	-	47	-	-	30	-	-	17
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 22 students who did not provide usable data for QNMINPA.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNNOPA: Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	10.5	(8.8 - 12.1)	1,506	9.0	(6.5 - 11.4)	782	12.1	(10.1 - 14.0)	724
Age										
	15 or younger	7.1	(4.2 - 9.9)	429	4.7	(1.5 - 7.9)	210	9.3	(5.8 - 12.7)	219
	16 or 17	11.4	(9.0 - 13.7)	817	9.6	(5.9 - 13.4)	434	13.1	(10.0 - 16.2)	383
	18 or older	13.8	(8.9 - 18.8)	260	13.6	(7.2 - 20.1)	138	14.1	(6.7 - 21.6)	122
Grade										
	9th	7.7	(4.9 - 10.5)	406	3.8	(1.3 - 6.4)	211	11.8	(7.8 - 15.8)	195
	10th	8.6	(5.2 - 12.1)	371	10.1	(6.7 - 13.6)	191	7.1	(2.2 - 11.9)	180
	11th	12.9	(10.1 - 15.7)	422	9.5	(5.0 - 13.9)	233	16.3	(12.1 - 20.4)	189
	12th	13.9	(9.9 - 18.0)	300	14.2	(9.7 - 18.8)	141	13.6	(7.2 - 20.1)	159
Race/Eth	nnicity									
	Black	17.2	(8.4 - 26.1)	159	-	-	77	-	-	82
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	9.4	(7.7 - 11.0)	1,148	8.9	(6.3 - 11.4)	600	9.9	(7.6 - 12.2)	548
	All other races	-	-	47	-	-	30	-	-	17
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 22 students who did not provide usable data for QNNOPA.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	32.2	(29.2 - 35.3)	1,516	37.2	(33.2 - 41.1)	788	27.1	(23.6 - 30.7)	728
Age										
	15 or younger	35.7	(30.5 - 40.9)	428	38.7	(32.9 - 44.5)	209	33.0	(25.9 - 40.1)	219
	16 or 17	31.2	(28.0 - 34.4)	825	37.8	(33.6 - 42.0)	439	24.3	(20.1 - 28.6)	386
	18 or older	29.3	(22.5 - 36.1)	263	33.1	(23.0 - 43.3)	140	24.6	(14.7 - 34.5)	123
Grade										
	9th	37.1	(31.6 - 42.6)	405	40.7	(34.9 - 46.5)	210	33.4	(25.0 - 41.8)	195
	10th	30.4	(25.3 - 35.4)	375	33.7	(27.4 - 40.0)	192	26.9	(19.2 - 34.6)	183
	11th	31.2	(26.5 - 35.8)	426	41.2	(33.1 - 49.3)	237	20.9	(15.2 - 26.7)	189
	12th	29.1	(22.1 - 36.0)	302	32.4	(21.8 - 43.1)	142	25.7	(15.9 - 35.5)	160
Race/Et	hnicity									
	Black	31.3	(23.9 - 38.8)	163	-	-	79	-	-	84
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	32.4	(28.9 - 35.8)	1,152	37.2	(32.5 - 42.0)	601	27.3	(23.5 - 31.0)	551
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	71	-	-	35	-	-	36

Note: There were 12 students who did not provide usable data for QN80.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	31.9	(28.2 - 35.6)	1,505	34.2	(30.2 - 38.2)	785	29.6	(24.9 - 34.3)	720
Age										
	15 or younger	41.1	(35.8 - 46.4)	426	43.3	(36.4 - 50.1)	209	39.1	(31.4 - 46.8)	217
	16 or 17	29.2	(25.0 - 33.4)	817	31.0	(26.1 - 35.9)	436	27.3	(21.9 - 32.7)	381
	18 or older	24.4	(19.8 - 28.9)	262	29.3	(22.2 - 36.5)	140	18.3	(11.1 - 25.5)	122
Grade										
	9th	41.8	(36.0 - 47.6)	402	43.7	(36.7 - 50.7)	210	39.7	(31.7 - 47.8)	192
	10th	33.6	(27.9 - 39.4)	373	36.8	(29.3 - 44.3)	192	30.3	(22.9 - 37.7)	181
	11th	24.9	(20.1 - 29.7)	422	26.3	(20.7 - 31.8)	234	23.5	(16.4 - 30.6)	188
	12th	24.6	(16.6 - 32.6)	300	27.3	(20.4 - 34.2)	142	21.8	(9.3 - 34.3)	158
Race/Eth	nnicity									
	Black	62.1	(54.6 - 69.5)	161	-	-	79	-	-	82
	Hispanic/ Latino	-	-	73	-	-	38	-	-	35
	White	28.0	(24.6 - 31.4)	1,146	31.2	(27.0 - 35.3)	598	24.7	(20.2 - 29.2)	548
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	70	-	-	35	-	-	35

Note: There were 23 students who did not provide usable data for QN81.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN82: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	38.7	(31.5 - 45.9)	1,376	44.5	(36.8 - 52.3)	719	32.7	(25.4 - 39.9)	657
Age										
	15 or younger	68.8	(61.2 - 76.5)	399	75.3	(67.0 - 83.5)	197	62.7	(53.4 - 72.0)	202
	16 or 17	29.4	(22.3 - 36.5)	734	36.4	(28.5 - 44.3)	394	21.8	(13.6 - 30.0)	340
	18 or older	14.0	(7.5 - 20.5)	243	19.6	(9.4 - 29.8)	128	7.4	(1.2 - 13.6)	115
Grade										
	9th	73.4	(66.1 - 80.8)	381	79.2	(70.3 - 88.0)	201	67.2	(57.4 - 77.0)	180
	10th	40.2	(26.9 - 53.5)	326	42.2	(29.6 - 54.7)	171	38.1	(20.6 - 55.6)	155
	11th	16.8	(12.7 - 20.8)	384	25.5	(19.6 - 31.4)	211	8.1	(4.5 - 11.7)	173
	12th	13.9	(8.1 - 19.7)	277	18.6	(9.0 - 28.2)	129	9.2	(3.1 - 15.3)	148
Race/Et	hnicity									
	Black	41.8	(27.5 - 56.0)	143	-	-	68	-	-	75
	Hispanic/ Latino	-	-	70	-	-	34	-	-	36
	White	38.1	(30.7 - 45.6)	1,050	44.6	(36.5 - 52.8)	553	31.1	(23.7 - 38.5)	497
	All other races	-	-	42	-	-	29	-	-	13
	Multiple races	-	-	65	-	-	32	-	-	33

Note: There were 152 students who did not provide usable data for QN82.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	28.2	(21.4 - 35.1)	1,376	31.2	(23.9 - 38.4)	719	25.1	(17.9 - 32.3)	657
Age										
	15 or younger	48.9	(38.0 - 59.8)	399	49.7	(35.7 - 63.6)	197	48.2	(37.5 - 58.8)	202
	16 or 17	22.6	(15.5 - 29.8)	734	27.3	(19.9 - 34.6)	394	17.6	(9.0 - 26.2)	340
	18 or older	8.9	(3.3 - 14.6)	243	13.7	(4.8 - 22.6)	128	3.3	(0.4 - 6.2)	115
Grade										
	9th	55.0	(44.4 - 65.7)	381	54.9	(41.6 - 68.1)	201	55.2	(44.1 - 66.3)	180
	10th	28.3	(14.0 - 42.7)	326	29.4	(15.9 - 43.0)	171	27.1	(9.7 - 44.5)	155
	11th	12.2	(8.1 - 16.4)	384	18.6	(12.5 - 24.8)	211	5.8	(2.4 - 9.3)	173
	12th	9.1	(4.2 - 14.0)	277	12.9	(4.3 - 21.5)	129	5.3	(1.8 - 8.8)	148
Race/Et	nnicity									
	Black	36.1	(24.3 - 47.8)	143	-	-	68	-	-	75
	Hispanic/ Latino	-	-	70	-	-	34	-	-	36
	White	26.9	(20.2 - 33.6)	1,050	30.6	(23.2 - 38.0)	553	22.9	(16.1 - 29.6)	497
	All other races	-	-	42	-	-	29	-	-	13
	Multiple races	-	-	65	-	-	32	-	-	33

Note: There were 152 students who did not provide usable data for QNDLYPE.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN83: Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	86.5	(82.5 - 90.5)	528	87.7	(83.7 - 91.7)	319	84.9	(78.1 - 91.7)	209
Age										
	15 or younger	88.0	(83.6 - 92.4)	277	88.2	(83.6 - 92.8)	150	87.8	(80.4 - 95.2)	127
	16 or 17	85.1	(79.1 - 91.2)	214	88.6	(84.0 - 93.3)	142	-	-	72
	18 or older	-	-	37	-	-	27	-	-	10
Grade										
	9th	87.2	(82.7 - 91.7)	289	87.7	(83.2 - 92.1)	164	86.6	(78.3 - 94.8)	125
	10th	89.0	(83.0 - 94.9)	122	-	-	68	-	-	54
	11th	-	-	73	-	-	58	-	-	15
	12th	-	-	39	-	-	24	-	-	15
Race/Et	hnicity									
	Black	-	-	61	-	-	30	-	-	31
	Hispanic/ Latino	-	-	24	-	-	13	-	-	11
	White	89.2	(85.8 - 92.7)	392	89.5	(85.3 - 93.7)	243	88.8	(82.6 - 95.0)	149
	All other races	-	-	20	-	-	16	-	-	4
	Multiple races	-	-	30	-	-	17	-	-	13

Note: There were 1000 students who were excluded from this analysis or who did not provide usable data for QN83.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN84: Percentage of students who played on one or more sports teams during the past 12 months

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	58.8	(55.5 - 62.0)	1,507	60.3	(56.8 - 63.7)	783	57.2	(53.4 - 61.0)	724
Age										
	15 or younger	63.6	(57.8 - 69.4)	430	66.4	(59.2 - 73.5)	210	61.0	(53.6 - 68.4)	220
	16 or 17	58.7	(54.4 - 63.1)	817	59.9	(55.3 - 64.5)	435	57.5	(51.1 - 63.8)	382
	18 or older	50.5	(42.3 - 58.8)	260	51.9	(42.5 - 61.3)	138	48.9	(37.4 - 60.4)	122
Grade										
	9th	60.9	(53.4 - 68.3)	405	61.1	(53.0 - 69.2)	209	60.6	(51.2 - 70.1)	196
	10th	58.9	(54.0 - 63.9)	375	64.5	(58.5 - 70.4)	193	53.1	(45.6 - 60.7)	182
	11th	59.2	(51.6 - 66.8)	420	59.1	(52.1 - 66.0)	234	59.4	(48.6 - 70.2)	186
	12th	54.9	(46.3 - 63.5)	299	54.8	(45.2 - 64.4)	140	54.9	(44.0 - 65.9)	159
Race/Etl	nnicity									
	Black	54.3	(44.6 - 63.9)	161	-	-	78	-	-	83
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	59.6	(56.6 - 62.5)	1,146	59.3	(56.1 - 62.5)	599	59.8	(55.8 - 63.8)	547
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	70	-	-	33	-	-	37

Note: There were 21 students who did not provide usable data for QN84.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	91.9	(90.3 - 93.5)	1,518	90.4	(87.9 - 92.9)	790	93.5	(91.7 - 95.2)	728
Age										
	15 or younger	90.5	(88.1 - 92.9)	431	89.1	(86.0 - 92.1)	211	91.8	(88.6 - 95.0)	220
	16 or 17	93.4	(91.4 - 95.3)	825	92.1	(89.2 - 95.1)	440	94.6	(92.5 - 96.7)	385
	18 or older	90.0	(87.1 - 93.0)	262	87.5	(82.6 - 92.5)	139	93.1	(90.0 - 96.1)	123
Grade										
	9th	88.7	(85.9 - 91.5)	407	87.3	(84.2 - 90.3)	211	90.2	(85.6 - 94.8)	196
	10th	94.2	(91.6 - 96.9)	377	94.3	(90.5 - 98.2)	194	94.1	(90.4 - 97.9)	183
	11th	92.1	(88.7 - 95.5)	425	89.0	(83.2 - 94.9)	237	95.2	(92.2 - 98.3)	188
	12th	93.0	(90.6 - 95.5)	301	91.0	(86.2 - 95.9)	141	95.0	(92.0 - 98.0)	160
Race/Eth	nnicity									
	Black	85.9	(80.2 - 91.7)	163	-	-	79	-	-	84
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	93.0	(91.2 - 94.8)	1,154	91.9	(89.3 - 94.5)	603	94.1	(92.0 - 96.2)	551
	All other races	-	-	47	-	-	31	-	-	16
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 10 students who did not provide usable data for QN85.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	22.2	(20.0 - 24.4)	1,512	22.0	(19.1 - 24.9)	786	22.3	(18.7 - 26.0)	726
Age										
	15 or younger	21.5	(17.8 - 25.2)	433	22.5	(16.6 - 28.4)	212	20.5	(14.0 - 27.1)	221
	16 or 17	23.1	(20.5 - 25.7)	819	22.9	(19.7 - 26.0)	437	23.4	(19.1 - 27.7)	382
	18 or older	20.7	(14.9 - 26.4)	260	19.0	(11.8 - 26.1)	137	22.7	(15.3 - 30.1)	123
Grade										
	9th	21.2	(17.0 - 25.4)	409	22.0	(15.7 - 28.3)	212	20.3	(14.3 - 26.4)	197
	10th	24.3	(19.1 - 29.4)	374	23.7	(18.1 - 29.3)	192	24.8	(16.3 - 33.3)	182
	11th	24.5	(19.3 - 29.8)	422	24.5	(18.8 - 30.2)	236	24.5	(17.1 - 32.0)	186
	12th	18.4	(13.2 - 23.5)	299	17.0	(10.3 - 23.7)	139	19.7	(13.3 - 26.2)	160
Race/Etl	nnicity									
	Black	26.3	(19.6 - 32.9)	162	-	-	79	-	-	83
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	21.7	(19.3 - 24.1)	1,148	20.8	(17.7 - 23.9)	599	22.6	(18.3 - 26.8)	549
	All other races	-	-	48	-	-	31	-	-	17
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 16 students who did not provide usable data for QN86.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QN87: Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	18.2	(16.1 - 20.2)	1,495	17.5	(14.7 - 20.2)	779	18.9	(16.0 - 21.8)	716
Age										
	15 or younger	17.5	(13.7 - 21.3)	425	19.5	(14.0 - 25.1)	211	15.6	(9.2 - 22.0)	214
	16 or 17	19.2	(16.6 - 21.8)	815	18.0	(14.6 - 21.4)	435	20.5	(16.9 - 24.1)	380
	18 or older	16.1	(10.6 - 21.6)	255	12.6	(6.6 - 18.6)	133	20.1	(12.5 - 27.6)	122
Grade										
	9th	16.9	(12.6 - 21.2)	401	19.0	(13.3 - 24.8)	211	14.6	(8.4 - 20.8)	190
	10th	21.0	(16.2 - 25.8)	372	19.5	(14.3 - 24.8)	191	22.4	(14.9 - 30.0)	181
	11th	19.9	(14.7 - 25.2)	419	18.7	(13.6 - 23.7)	234	21.3	(14.4 - 28.1)	185
	12th	14.5	(9.7 - 19.2)	295	11.2	(5.7 - 16.6)	136	17.6	(11.0 - 24.3)	159
Race/Et	hnicity									
	Black	21.9	(15.6 - 28.2)	158	-	-	76	-	-	82
	Hispanic/ Latino	-	-	74	-	-	38	-	-	36
	White	17.9	(15.5 - 20.2)	1,138	16.7	(13.9 - 19.6)	595	19.1	(15.6 - 22.5)	543
	All other races	-	-	46	-	-	31	-	-	15
	Multiple races	-	-	72	-	-	35	-	-	37

Note: There were 33 students who did not provide usable data for QN87.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

Indiana High School Survey Summary Table - Weighted Data

QNASATCK: Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months

		Total				Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	40.9	(34.6 - 47.1)	269	27.0	(19.2 - 34.7)	136	54.2	(47.6 - 60.8)	133
Age										
	15 or younger	-	-	72	-	-	41	-	-	31
	16 or 17	39.3	(31.8 - 46.9)	153	-	-	78	-	-	75
	18 or older	-	-	44	-	-	17	-	-	27
Grade										
	9th	-	-	64	-	-	38	-	-	26
	10th	-	-	78	-	-	40	-	-	38
	11th	-	-	80	-	-	41	-	-	39
	12th	-	-	46	-	-	16	-	-	30
Race/Et	thnicity									
	Black	-	-	34	-	-	18	-	-	16
	Hispanic/ Latino	-	-	10	-	-	5	-	-	5
	White	41.3	(35.2 - 47.3)	202	25.3	(17.2 - 33.3)	102	56.1	(49.8 - 62.4)	100
	All other races	-	-	3	-	-	1	-	-	2
	Multiple races	-	-	19	-	-	9	-	-	10

Note: There were 1259 students who were excluded from this analysis or who did not provide usable data for QNASATCK.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.